

The Mining And Metallurgical Journal

VOL. XXI, No. 9

LOS ANGELES, CAL.,

August 1, 1899,

NEW YORK, N. Y.

Price 15 Cents

ASSAYER and CHEMIST

Mark samples plainly, advise by letter of full details, with charges enclosed. Postage on one cent per ounce.

C. H. VOLL,

34 Boxwell Bldg.

SEATTLE, WASHINGTON

Oiled and Paraffined Canvas Covering for Machinery, etc.

Tents and Canvas Sheeting

JOHN HARRISON,

167 South Street, New York

PATENTS!

TOWNSEND BROTHERS SOLICITORS OF PATENTS

Patents on Inventions secured in all countries. Copyrights, Trade Marks and Labels.

Office, 331 Potomac Block Telephone 347. Los Angeles, Cal

The Edward P. Allis Company

MILWAUKEE, WISCONSIN

SEE PAGE 23

A. H. HANDLAN, President and Manager

E. W. HANDLAN, Secretary and Treasurer

M. M. BUCK MFG. CO.

Railway and Contractors Supplies

Machine Tools, Heavy Hardware and Metals; Mine, Mill, Smelter and Foundry Supplies; Manufacturers of Locomotive Head Lights; Train and Station Signal Lights, Lanterns, Oil Filters, Lubricators, Injectors, &c.

921 North 3d Street,

St. Louis, Mo.

ROESSLER & HASSLACHER Chemical Co.

100 William St., New York

CYANIDE

Peroxide of Sodium

Hyposulphite of Soda

Chloride of Lime

Sulphide of Iron

And Other Chemicals for Mining Purposes.



Joseph Dixon Crucible Co.

MINERS, IMPORTERS AND MANUFACTURERS

GRAPHITE & PLUMBAGO

JERSEY CITY, N. J.

RETORTS, CRUCIBLES, GRAPHITE LUBRICANTS, BELT DRESSING, GRAPHITE PAINTS, LEAD PENCILS, AND GRAPHITE PRODUCTS OF ALL KINDS.

Send for Production Catalogue.

Graphite Makes the Best Lubricant and Best Paint.

ADAMANTINE SHOES & DIES

AND

CHROME CAST STEEL

Cams, Tappets, Bosses, Roll Shells and Crusher Plates.

These castings are extensively used in all the Mining States and Territories of North and South America. Guaranteed to prove better and cheaper than any others. Orders solicited subject to above conditions. When ordering send sketch with exact dimensions. Send for Illustrated Circular.

CHROME STEEL WORKS,

Kent Ave. & Keap St., BROOKLYN, N. Y.



The Pelton Water Wheel

Affords the Most Economical and Reliable Power for Mining, Electric and all other purposes.

9000 WHEELS NOW RUNNING


PELTON WATER WHEEL CO., 121 Main St., San Francisco, Cal.

Mexican, American and Foreign Patents, TRADEMARKS, ETC.

Reports on Mining and Other Properties. Proprietors of Weekly Anglo-American, a first-class Advertising Medium. Established 9 Years.

C. H. M. y Agramonte,

P. O. Box 358. Cable Address, "Agra" City of Mexico, Mexico



We are acting as Purchasing Agents for more than thirty mining companies. We desire to make contracts with others to act for them as their Purchasing Agents in this market. Give us an opportunity to send you information and references. We can save you money. Do you wish to receive our Market Letters, giving prices of machinery and supplies, condition of the market, probable change, etc?

1543 Marquette Building


Chicago, Illinois

PARKE & LACY COMPANY

21 and 23 FREMONT STREET, SAN FRANCISCO, CAL.

LICENSEE FOR THE MANUFACTURE AND SALE OF

The Huntington Centrifugal Roller Quartz Mill



THE HUNTINGTON MILL is so well and favorably known among mining men throughout the world that any description of it would seem superfluous. They are in use in the United States, Canada, Mexico, Central and South America, Australia, China, Japan, and South Africa. In fact, wherever mines exist, and have given the best satisfaction of all quartz crushing mills.

The Construction of this mill has lately been much improved and we claim it to be the CHEAPEST, MOST EFFICIENT, SIMPLEST, AND MOST DURABLE MILL UPON THE MARKET.

Agents for Knowles' Pumps and Pulsometer Pumps

CATALOGUE UPON APPLICATION

Los Angeles, Cal. Office, 306 Byrne Building, W. H. Fuller, Representative



JOHN STEWART

MINING ENGINEER

Address—Mining and Metallurgical Journal

Examine and Report on Mineral Properties

Assessment Work Performed for Non-Residents

ST. LOUIS, MO.

RAINBOW BELTING

A RED RUBBER BELTING, made from the celebrated Rainbow composition, which is peculiarly adapted for Dry Climates, is not affected by Dampness and especially designed for heavy service. Every belt tested before leaving factory.

500,000 Feet Sold During 1889
Not a single Belt Returned



Also try the well known "Peerless" Brands. Air Drill, Steam, Water, Suction, Fire Hose. Rainbow Sheet Packing. Peerless Piston Packing. Honest John Packing. Hercules Metallic Stop Valve Packing.

PATENTED AND MANUFACTURED
EXCLUSIVELY BY

The Peerless Rubber Mfg. Co., 16 WARREN STREET, NEW YORK

16-24 Woodward Avenue, Detroit, Mich. 202-210 S. Water Street, Chicago, Ill.
Dunham, Carrigan & Hayden Co., San Francisco, Cal.

California Vigorit Powder Co.


Manufacturers of

Dynamite High Explosives and "Vigorit Low" Blasting Powder

OFFICE: 208 California Street,
San Francisco, Cal.

WORKS: Point Isabel,
Contra Costa Co., Cal.

"Union"
Hoist



THIS cut shows the 10 H.P. "Union" Hoist which lifts One Ton 125 ft per Minute. Breaks down gas too.

Double Cylinder Vertical Engine and Hoist Combined. Perfectly governed for economy and steadiness. Can be started instantly. Compact. Strong. Simple. Efficient. Economical. Many in use all over the coast. Sizes from 4 H.P. to 50 H.P. Send for catalogue stating size and work.

Union Gas Engine Co.,

301 Howard Street, - - - San Francisco, Cal.

The only Genuine ALBANY GREASE has this TRADE MARK on every package. Look out for Yellow Label.



MANUFACTURERS OF
Albany Dynamo & Albany Cylinder Oils
If you are not using these Oils give them a trial at once, and we know the result. You will want no other

ALBANY GREASE

Lubricates Everything
Especially Adapted to Mining and Milling Machinery.

—MADE ONLY BY—
ADAM COOK'S SONS,
313 WEST ST., NEW YORK.

BRANCHES:
TATUM & BOWEN,
34 Fremont Street, San Francisco, Cal.
42-49 First St., Portland, Oregon.
55 South Canal Street, Chicago, Illinois.

THOMPSON & BOYLE CO.

(Incorporated)

MANUFACTURERS OF

T. & B. STEEL MINING PIPE

Cyanide Tanks, Water Tanks, Air Pipe,
Hydraulic Mining Material

310-314 Requesena St.,

Los Angeles, Cal.

WILLIAM H. EMANUEL,

REPRESENTING

RAND DRILL COMPANY, Air Drills and Compressors
THE EDW P. ALLIS CO., General Mining, Milling and Smelting
Machinery and Reynolds Corlias Engine
TRENTON IRON CO., Wire Rope and Bleichert Tramways
HENRY R. WORTHINGTON, General Service and Mining Pumps
ROBIN'S BELT CONVEYOR

DENVER

COLORADO

The Baker & Adamson Chemical Co.

MANUFACTURERS OF

Strictly Chemically Pure Acids and
Chemicals and Ashless Filter
Papers

EASTON, PENNSYLVANIA

FOURTH EDITION

Large 8vo., cloth, 700 Pages and Numerous
Plates. \$5.00

METALLURGY OF GOLD

A PRACTICAL TREATISE ON


The Metallurgical Treatment of Gold-Containing Ores
INCLUDING THE
Process of Concentration and Chlorination, and
the Assaying, Melting, and Refining
of Gold.

BY M. EISSLER.

Fourth Edition, Revised and Enlarged to 700
pages, with 25 Additional Plates, and Working
Drawings and Chapters on Recent Milling
Operations in the Transvaal. 8vo., Cloth, Price \$5.00.

D. VAN NOSTRAND COMPANY, Publishers


23 Murray and 27 Warren Sts., New York
Copies sent by mail on receipt of Price



Cream of the Trade



THE JOURNAL's advertising pages represent the cream of the trade, and nearly everything needed by miners, millmen and smelters can be found in them; in fact they constitute the best directory published in the West of mining machinery manufacturers.



Hoskins' Patent Hydro-Carbon

Blow-Pipe and Assay Furnaces

No dust. No gases. Cheap, effective, economical, portable and automatic. Send for Price-list to

WM. HOSKINS,

81 South Clark St., Room 57
CHICAGO, ILL.



ALPHABETICAL INDEX TO ADVERTISERS

A		E		L		S	
Abbott, W. O.	6	Edmer & Amend	4	Lambert Hoisting Engine Co.	23	Santa Fe Route	30
Agnew, C. H. M.	1	Emmanuel, Wm. H.	2	Leffel & Co., James	23	S. P. Pioneer Screen Works	29
Ainsworth, Wm.	24	Enterprise Machine Works	29	Lehigh University	3	Savage, Wm. R.	3
Altchison Perforated Metal Co., The Robert	29	El Paso Assay Office	29	Lesow, Theo.	28	Schoenkopf, Hartford and MacLagen	31
Albuquerque Foundry & Machine Works	27	El Paso Manufacturing Co.	26	Lidgerwood Manufacturing Co.	30	Shaw, Willis	1
Allis Co., Edward P.	1			Link Belt Machinery Co.	5	Shultz Belling Co.	27
Allen & Sons, Theo.	28			Little Alaska Gold Washer	30	Seib, H. J.	6
American Dynamite Rock Drill Co.	25					Smith, S. J.	29
American Injector Co.	1					Smith & Co., Francis	29
Aubrey, L. R.	6					Smith & Thompson	29
B		F		M		T	
Baily & Mowbray	27	Fay & Egan Co., J. A.	24	Macbeth & Co., Jas. C.	24	Taylor & Co., John	37
Baker & Adamson Chemical Co.	2	Perrari, Guido	28	Machinery and Electrical Co.	29	Taylor Iron and Steel Co.	37
Baker & Co.	3	Fossil Metal Co.	3	Malt Dry Gold Saver	31	Temple Machine Co.	24
Baker, C. J.	25	Fowler, G. C.	29	Manasse Co., L.	30	Thompson & Boyle	3
Baker Iron Works	25	Fulton Engine Works	31	Mathison & Co.	30	Townsend Bros.	2
Barkley & Co., A. J.	2	Praser & Chalmers	32	McIntosh & Co.	30	Tremaine & Prochlich	2
Bell, Newton M.	6	Presc, Adolf	21	McIntosh & Co.	30	Trenton Iron Co., The	6
Berger & Sons, C. I.	30	Prue Vanning Machine Co.	30	McIntosh & Co.	30	Treumer, Henry	24
Bi-Metallic Assay Office	29			McIntosh & Co.	30	Triax Manufacturing Co.	30
Blackford Drill Co.	30			Morgan-Watson Mining & Construction Co.	24		
Bliss, Chas. T. & Co.	30			Moore & Co. Chas. C.	4		
Borden, Gail	1			Mould & Co., Henry B.	5		
Brodley-Ramsey Lumber Co.	32						
Broad & Son, F. R.	30						
Brown Horace M., M. R.	31						
Brownell, James B.	30						
Buck Manufacturing Co., M. M.	30						
Bullock Mfg. Co., M. C.	31						
Burlingame, K. R.	27						
C		G		N		U	
California Performing Screen Co.	25	Carratt & Co., W. T.	19	National Association of Stationary Engineers	19	Union Gas Engine Co.	2
California Anti-Caloric Co.	3	Gaslight & Coke Co.	31	National Iron Works	31		
California Vigor Powder Co.	3	Godfrey, A. C.	31	National Pipe Bending Co.	26		
Chambers Sec'y, J. C.	19	Gold & Silver Extraction Co. of America Ltd	4	New Haven Manufacturing Co.	25		
Chapman Smelting Works Co.	25	Goodell Packing Co.	30	Nicholson & Co.	3		
Chester Steel Castings Co.	25	Goodyear Rubber Mfg. Co.	30	Norwalk Iron Works	25		
Chrome Steel Works	25	Graphic Lubricating Co.	31				
Cleveland Mining and Stock Exchange Co.	19	Hersey, Clarence	31				
Cling-Surface Manufacturing Co.	19	Hoskins, Wm.	2				
Colorado Iron Works Co.	28						
Cook's Sons, Adam	2						
Colo. and Cal. Mineral Development Co.	26						
Compagnie Industrielle Mexicana	26						
Conway & Co., F. J.	24						
Cons. Kansas City Smelting & Refining Co.	80						
Courtis, Wm. M., A. M.	5						
Cumner & Sons Co., P. D.	27						
D		H		O		V	
Davis Iron Works Co., F. M.	6	Hamlin & Morrison	28	Ogden Assay Office	5	Van Der Wallen, A.	6
Devalston, E. G.	25	Harrison, John	1	Ohlert & Co., N.	28	Van Nostrand Co., D.	2
Denver Engineering Co.	27	Heckelmann and McCann	29	Olive Powder Co.	28	Voll, C. H.	9
Denver Fire Clay Co.	27	Hercules Gas Engine	20	Oregon Railroad and Navigation Co.	25		
Denver Variety Machine Shop	27	Heidy Machine Works, Joshua	25	Oriental Gas Engine Co.	27		
Detroit Lubricator Co.	24	Henshaw, Bulkeley & Co.	24, 26, 27, 29				
Dietgen & Co., Eugene	4	Hersey, Clarence	31				
Dixon Crucible Co., Jos.	1	Hoskins, Wm.	2				
Douglas, A. M.	1						
Ducommun, C.	29						
E		I		P		W	
		Incorporated Mines Paying Dividends	21	Pacific Tank Co.	25	Wade & Wade	31
		Jaggers, Sargent Drill Co.	31	Parafine Paint Co.	25	Watson, R. N.	32
		Irvine & Co., Jas.	30	Parke & Lacy Co.	32	Weber Gas and Gasoline Engine Co.	8
				Pellon Water Wheel Co.	1	Weber & Co., F.	27
				Penn Smelting and Refining Co.	28	Weigle Pipe Works	24
				Perez, R. A., E. M.	25	Weiss & Gibson	24
				Peerless Rubber Manufacturing Co.	2	Western Chemical Co.	5
				Philadelphia Book Co.	2	Western Forge & Rolling Mills	25
				Pope, J. B.	31	White Rogers & Co.	27
				Price & Son, Thos.	31	Wigmore & Sons, John	30
				Pulsometer Steam Pump Co.	19	Wilcox & Rose Co.	5
						Wonder Pump Manufacturing Co.	5
						Wood, Henry B.	5
						Woodbury Concentrator Co.	27
J		K		Q		Y	
Jackson Drill and Manufacturing Co., The	26	Kaufel & Esser Company	5, 8	Queen & Co.	24	Yewer, J. C.	5
Jeffrey Manufacturing Co.	24	Kimball, S. D.	8	Quick, John W.	29	Young & Sons	5
Jones, E. M., P. A.	30	Kohbusch, Sr. Herman	25				
L		M		R			
				Reckhart, D. W.	26		
				Reed, John T.	25		
				Ricketts & Banks	20		
				Rio Grande Western Ry.	20		
				Rosenthal & Haslach Chemical Co.	30		
				Robins Conveying Belt Co.	30		
				Russell & Co., W. A.	30		

Crude Platinum Purchased.

To Identify Crude Platinum when found, send 75c for Sample in glass, packed in a strong box. We purchase or refine anything containing Platinum.

BAKER & COMPANY,

NEW YORK OFFICE: 130 Liberty Street.

NEWARK, NEW JERSEY

Mineral Lands Wanted

In United States, Cuba, Porto Rico and Central America.

Nicholson & Co.

150 Broadway, New York.

Advertise in the
MINING & METALLURGICAL
JOURNAL

ASSAYERS AND CHEMISTS

Working tests of Ores by all processes.
Samples by mail or express solicited

THEMAINE & FROELICH,

193 Third St., PORTLAND, OREGON

The CALIFORNIA ANTI-CALORIC COMPANY

Steam Pipe and Boiler Covering

Manufactured under our own Patents and solely from California Products.

ANTI-CALORIC PLASTER: the best and cheapest insulating
Plaster in the Market.

Factory, Potrero. Tel. Main 575 OFFICE: 507 Market St., San Francisco



Engineers' and Draughtsmen's Supplies

Sole agents for Richter's round system drawing instruments and Albert Ott's Planimeters, Photographs and other instruments of precision. Levels and transits of superior make.

R. WEBER & CO. PHILADELPHIA

WM. E. SAVAGE,

Land and Mining Attorney.

Will conduct cases before United States and State Courts, or U. S. Local Land Offices. In any mining State or Territory of the United States or before the U. S. General Land Office, Washington, D. C. Mining Properties and Oil Lands Bought and Sold.
Office, Room 316 Douglas Building 34 and Spring
LOS ANGELES, CAL.

Established 1885.

Weber Gasoline Hoists

Uses Gasoline, Distillate
or Kerosene

Size 4 to 100 H. P.



This is a 50 H. P. Double Drum Weber Gasoline Hoist now at work at Matuhula, Mexico, Hoisting out of a 1400 Shaft.

A Hoist Should be SAFE, SIMPLE, ECONOMICAL

Get a Catalogue and advise us what your requirements are

The Weber Gas and Gasoline Engine Co.

434 S. W. Boulevard,
Kansas City, Missouri

CHAS. C. MOORE & CO.

ENGINEERS AND DEALERS IN

BABCOCK & WILCOX BOILERS, GREEN'S ECONOMIZERS,
McINTOSH & SEYMOUR ENGINES, WHEELER CONDENSERS,
HAMILTON CORLISS ENGINES, BARNARD-WHEELER COOLING TOWERS,
N. Y. SAFETY AUTOMATIC ENGINES, HOPPER LIVE STEAM PURIFIERS,
GOUBERT FEED WATER HEATERS, EDMISTON FEED WATER FILTERS,
STRATTON STEAM SEPARATORS, BUNDY STEAM TRAPS,
SNOW STEAM PUMPS, SPENCER DAMPER REGULATORS,
QUIMBY SCREW PUMPS, HYATT ROLLER BEARINGS.

Watch this Space for description of the above Machinery.

Send for Catalogue and Full Information.

32 First Street, San Francisco, Cal.

GOODYEAR'S RUBBER GOODS
Miners and Mining
Crack Proof Boots, White Rubber Coats, Oil Clothing
BELTING, PACKING AND HOSE
573, 575, 579 Market Street, SAN FRANCISCO, CAL.
R. H. PEASE, 73 and 75 First St. PORTLAND, OREGON
Vice President and General Manager.


Established 1877.
F. E. BRANDIS, SONS & CO.
ENGINEERING
INSTRUMENTS
FOR ALL PURPOSES.
312-314 GATES AVE., BROOKLYN, N. Y.
Catalogues mailed on application.

EUGENE DIETZEN CO.
191 Madison Street, CHICAGO,
129-131 Fifth Ave., New York, N. Y.
Manufacturers and Importers of
ENGINEERING and
DRAWING INSTRUMENTS
of every description.
We carry Largest Stock in the West.
New 221 PAGE ILLUSTRATED
CATALOGUE sent on application.

JENA Trade Mark
Normal Glass
SCHOTT & GEN.
JENA
BEST GLASS FOR Laboratory use
CHEMICALS AND CHEMICAL APPARATUS
ASSAY BALANCES
Finest Ever Made
Specialties:—Analytical Portable Balances, Porcelainware, Platinum goods, Crucibles, Cupels, scorifiers, Mullers, Furnaces, C. P. Acids, etc.
Everything Necessary for Assayers
Elmer & Amend,
3d Ave. Cor of 18th St. New York

MATHISON & CO.
25-27 CEDAR ST.,
NEW YORK CITY
-- **ANTIMONY** --
BUY
ANTIMONY ORES AND
CRUDE ANTIMONY
* WRITE FOR FULL PARTICULARS

The Colorado and California Mineral Developing Company
432-3-4 STIMSON BLOCK, LOS ANGELES, CAL.
Prospecting, Developing of Mines, Mine Operators, Locating, Buying and Selling of Mines a Specialty, Financial Agents for Eastern Capitalists.
GAIL BORDEN, President
J. A. COMER, Vice-President
J. K. HAWK, Secretary
CAPITAL STOCK, \$200,000
Correspondence Solicited

U. S. AUTOMATIC INJECTORS
Guaranteed to be the
Best and Most Economical
Injectors on the Market
Can be had of

Mitchell Staver & Lewis Co., Portland, Or.
Mitchell Staver & Lewis Co., Seattle, Wash.
Schaw-Lagman Hatcher Co., Sacramento, Cal.
Henshaw, Bulkeley & Co., San Francisco, Cal.
And of Jobbers and Dealers generally.
Catalogue Free.
American Injector Co., Detroit, Mich.
U. S. A.



THE MAIT DRY GOLD SAVER

was invented and patented by a man who has followed mining in California since the early 50's, and is the only thoroughly practical "DRY WASHER" ever invented, will save a larger per cent. of gold than any other machine. It is Cheap, Light and Durable, runs easy, will not blow the gold off. Can be easily carried and packed.

The material used in its construction is of the best, and is well bolted and screwed (not nailed) together, and is easily taken apart. Woodwork is of spruce and poplar; castings, iron and brass; lining, galvanized iron; riffle screen, No. 70 mesh, brass wire; hopper screen $\frac{1}{2}$ in. mesh, well secured, fans galvanized iron.

PRICES, Prospector \$15; Small Size \$35; Medium Size \$40; Large Size \$50. Any amount of References given.

A. G. GODFREY, Manufacturer,

311½ West Seventh St., Los Angeles, Cal.


A NEW MORTAR

That is a crusher and pulverizer combined



Weight 120 lbs.; Diameter 10 1/2 in.; Height 8 1/4 in.
 Fits a long-tail want. Send for descriptive
 circular. Crusher Pulverizer No. 1, \$25.00.
 J. E. Surman & Co., 75 Cortlandt St., New York

Lidgerwood Hoisting Engines



Built to gauge on the Duplicate
 Part System. Quick Delivery Assured.

HENSHAW, BULKLEY & CO., Agents, San Francisco.

Mine Hoists,

STEAM AND ELECTRIC

CABLEWAYS Hoisting and Conveying Devices


SEND FOR CATALOGUE

Lidgerwood Mfg. Co.

96 Liberty Street,

New York

The Improved WONDER Irrigation Pump



We also Build Vertical Style for Mining Purposes.
 Write for full particulars and Catalogue.

Wonder Pump Mfg Co.,

MACHINERY & ELECTRICAL CO., Los Angeles, Cal., Agents for California.

KANSAS CITY,
Missouri.

Sulphuric Acid

Also Strictly Chemically Pure

AMMONIA and

for Laboratory Use and Fine Chemical Work.

* SCHOOL OF *


Practical Mining, Civil, Mechanical,
 Electrical Engineering, Metallurgy,
 Cyanide Process, &c.
 Surveying, Architecture, Drawing and Assaying.
 838 MARKET ST. SAN FRANCISCO, CAL.
 OPEN ALL YEAR

A. VANDER NAULLEN, President.
 Assaying of Ores, Etc.: Bullion and Chlorination
 Assay, \$25; Blowpipe Assay \$30. Full Course
 of Assaying, \$50. Established 1864.
 Send for Circular

The F. M. Davis IRON WORKS CO.

Office and Works 23 to 743 Larimer Street
 Corner 8th Street, DENVER, COL.

THE DAVIS IMPROVED CHILI MILL



SIMPLE, DURABLE, EFFICIENT

Five-foot Mill, \$1,500.00

Weight, 24,000 lbs.


(1)

SEND FOR CATALOGUES AND DISCOUNTS

Manufactured by the
 Western Chemical Co.
 For Chlorination, Refining and other
 processes. Also Muriatic and Nitric
 Acids, Blue Vitriol, Copperas Refined
 Sulphate of Soda, Etc

Denver, Col.

C. P. Acids



A Complete
 Line of
 DRILLS

Send for
 Catalogue

UPRIGHT DRILL

THAT ARE MADE BY

W. F. & JOHN BARNES CO.,

105 Ruby Street, Rockford, Ill.

ARE SOLD IN

San Francisco by

HENSHAW, BULKLEY & CO.

Why SEND YOUR MONEY EAST FOR

Shoes and Dies, Cam Tappets, Car Wheels, Shafting, Hangers,
 Pulleys, Ore Cars and Iron and Brass Castings, when they can
 be obtained for the same price and in less than half the time

AT THE

Albuquerque Foundry and Machine Works,

Repairing of Mill and Mining Machinery a Specialty.

Albuquerque, New Mexico

Advertise your

* WANTS *

In THE JOURNAL

I. C. YAWGER,

SUGGESTOR TO
 VICTOR BISHOP & CO.

31 Maiden Lane, - - - - New York

MACHINERY

NEW AND 2ND HAND

FOR SALE CHEAP

Hoisting Engines, Air Com-
 pressors, Rock Drills, Crushers
 Pump Cars, Steam Shovels,
 Light Locomotives, Relaying
 Rail, etc. Send for printed list
 at once.

WILLIS SHAW, 620 N.Y. Life Bldg., CHICAGO

Reliable Assays

Gold \$.50	Copper \$.50
Silver45	Gold, Silver and Lead 1.25
Gold & Silver75	Gold, Silver, & Copper 1.50
Lead50	Gold, silver, copper, lead 2.00

Samples by mail receive prompt attention.
 Highest price paid for Bullion.

Ogden Assay Co.,

31 Maiden Lane, - - - - New York

1430-16th Street, Denver, Colo.

UNFAIR COMPETITION

Our recent announcement that inferior goods had been sold and billed on the
 Constant as our goods, and that our trademark numbers had been counterfeited, has
 disclosed an even greater extent of these practices than we had supposed to exist.
 To make the resulting damage to the reputation of our goods as small as possible
 and to protect our would-be patrons we repeat:

All our catalogue goods, except those listed by us as manufactured by others,
 are stamped with our name "Keuffel & Esser Co." or our initials "K. & E. Co.,"
 and where there is room for it, with our trademark.
 drawing instruments bear only the trademarks & only, and
 We never stamp our goods with catalogue numbers
 goods so stamped are therefore not ours. All our
 goods are fully warranted to conform to the description we give of them in our catalogue and
 to be of the quality and grade specified. We make some lines of cheaper goods for
 the jobbing trade, but they differ from our catalogue goods in quality and appear-
 ance. These inferior goods are not stamped with any of our trademarks. Our
 catalogue goods are not furnished to any dealer or agent without our complete
 stamp as described above, and any claim that we furnish our catalogue goods by
 special arrangement without our stamp is therefore an attempt to deceive. Our
 special papers in rolls or sheets

Duplex Universal Anvil Baragon Normal

are watermarked or stamped along the edge with their name. Any claims that our papers are fur-
 nished by us in bulk without these names or that these papers have been obtained otherwise than
 through us, are absolutely false. We will thankfully accept any information bearing on the coun-
 terfeiting of our trademark numbers or the passing off of other goods as ours.

Very respectfully, KEUFFEL & ESSER CO., New York

LINK-BELT Elevators and Conveyors



Electric Coal Mining and Haulage Machinery.

Complete Tipple-house equipment, Coal
 Washing Machinery, Shafting, Pul-
 leys, Shaft Bearings, Friction
 Clutches, Gearing, etc.

SEND FOR CATALOGUE

Coal Conveyor, 575 ft. center
 handling 4 tons run of
 mine coal per minute

DENVER:

1335 17th Street

A. B. LINDBROTH, Manager


The Link-Belt Machinery Co.

ENGINEERS, FOUNDERS, MACHINISTS

CHICAGO, U. S. A.

The White Briquetting Press

FOR COAL, FINE ORES, FLUE DUST, CONCENTRATES



SOLE LICENSEES TO SELL AND OPERATE

The Henry S. Mould Company,

Carnegie Building

PITTSBURG, PA., U. S. A.

TRADE MARK



The Gold & Silver Extraction Co.

OF AMERICA, (Limited)

Capital \$550,000

The Original Cyanide Process, Simple, Reliable, Economical. Mine owners and others having Refractory and Low Grade gold and Silver Ores and Tailings should have their material tested by THE MACARTHUR-FORREST CYANIDE PROCESS. Samples assayed and fully reported upon. Properties examined. Designs furnished. Particulars upon application.

GEO. A. ANDERSON, Gen. Mgr.

210 McPhee Building, Denver, Colorado

Information, estimates, etc. cheerfully given. JESSE J. MACDONALD, Agent, Care B. H. Catkins, 127 W. 1st St., Los Angeles, Cal.

Miners Attention!

We Sell Powder, Caps, and Fuse, Mining Machinery, Belting, Asbestos Goods, packing of all kinds, Picks and Shovels, Iron and Steel; Iron Wheelbarrows, Ore Sacks, Tents, Portable Forges and General Mining Supplies. Agency Truax Mfg. Co and Studabaker Wagons.

WILCOX & ROSE CO.,

San Bernardino, Cal.


KEUFFEL & ESSER CO.
NEW YORK.
127 FULTON AND 42 ANN STS.

Branches: 111 Madison St., Chicago; 708 Locust Street, St. Louis, Missouri

Drawing Materials and Surveying Instruments

Largest and best assorted stock in America. All requisites for field, mine, and draughting rooms. We have made a study of this line, and our goods are warranted to be as nearly perfect as it is possible to make them. Prices reasonable. Write for catalogue.

LAMBERT Gas, Gasoline and Distillate Engines



TANKS, PIPE and WATER
SUPPLY GOODS PUMPS
of all kinds.

Call on or Address,

S. J. Smith,

230 E. Fourth Street,

LOS ANGELES, CAL.


YOUNG & SONS,

Manufacturers of

ENGINEERING, MINING AND BRIDGING INSTRUMENTS. Special improvements in Auxiliary Telescopes for vertical sighting in mines. Scales of the Inverted standard type. Non-Extension Telescopes, moisture and dust proof. Special circulars of mining results.

41 N. Seventh St., Philadelphia Penn.

SAVE MONEY! FUEL COSTS MONEY



Protect your pipes and boilers with Wat. Herfeld's Fuel oil metal composition, packed in sacks, easy to transport anywhere. Send for facts and figures.

POSSIL REAL CO., 5 Cedar Street, New York

Assay Office LEW E. AUBURY, E.M.

118 West 1st Street,

Opp. Natl. House

LOS ANGELES, CAL.

Mining Supplies and Steel

Blacksmiths and
Machinists Supplies
of all kinds.

Iron and Heavy Hardware, Wood Materials, Wheels, Hardware &c., for heavy freight wagons. Blacksmiths and Wagonmakers Tools and Machines. Send for complete catalogue.

S. D. KIMBARK,

80-82-84 Michigan Ave.,

Chicago, Ill.

W. O. ABBOTT, ASSAYER

ASSAYING IN ALL ITS BRANCHES
CHEMICAL DETERMINATIONS ACCURATELY MADE

TOMBSTONE

ARIZONA

The Bleichert Wire Rope Tramway

And Other Systems of Aerial Transportation



Bleichert Tramway of the Bolvey Process Co. transporting rock

MANUFACTURED BY **THE TRENTON IRON CO.,** TRENTON, N. J.
Engineers and Contractors, and sole licensees in North America for the Bleichert System. Also Wire Rope Equipments for Surface and Underground Haulage, etc.
NEWTON H. BELL, Agent, 109 California St., San Francisco, Cal.

SEE Incorporated Mines Paying Dividends Page 22

WM. M. COURTIS, A. M.

★ Mining and
Metallurgical Engineer

Assayer and Analytical Chemist

Office: 415 Hammond Building,
Permanent Address, 449 4th Ave, Detroit, Mich.


Assay Office and Ore Testing Laboratory
OF **HENRY E. WOOD, Assayer**

1734 ARAPAHO ST., DENVER, COLORADO

Established in Colorado in 1875

Control and Umpire Assays a Specialty. Wilbey Concentrator in Operation. Write for circular giving prices, etc.

HADFIELD'S MANGANESE STEEL, HARD TOUGH.



Best Metal known for Stamp Shoes and Dies, Roll Shells, Crusher Plates and Side Liners. Toggles and Toggle Bearings, Gyratory Cones and Concaves or Liners, Mine Car Wheels, Coal Crushing Rolls, etc., etc.

TAYLOR IRON AND STEEL CO.,

Sole Licensees in America under Hadfield System and Patents. High Bridge, N. J., U. S. A.
All Pacific Coast parties interested please address: Taylor & Lacy Co., San Francisco, Cal.

EXCHANGED AT THE POST OFFICE AT THE HARBOR, CALIFORNIA
AT SECOND CLASS MAIL MATTER

F. W. KOEHLSTEN, Editor.

O. S. BREESK, Business Manager.

JOHN STEWART, Special Contributor

ULRICH KNOCH, Publisher

150 Nassau St., New York, N. Y.

BRANCH OFFICES:

San Francisco, Cal.	64-65 Merchants Exchange
Chicago, Ill.	413, 59 Dearborn St.
Denver, Colo.	407-409 Quincy Bldg.
Salt Lake City, Utah	75 W. Second South St.
Spokane, Wash.	Hypothec Bank Bldg.
City of Mexico, Mexico	No. 4 Calle de San Juan de Letran

SUBSCRIPTION PRICE

[illegible]

NOTICE TO SUBSCRIBERS.

Subscribers not receiving their copy of the JOURNAL regularly, or rather ordering through agent or direct, will kindly notify the Los Angeles, Cal., office.

ADVERTISING RATES FURNISHED ON APPLICATION.

WATER STORAGE AND FORESTRY

The meetings of the American Forestry Association were held in Los Angeles, Cal., on 19th and 20th July last, Abbott Kinney presided along with Secretaries George W. Whittlesey and W. H. Knight.

Among the delegates present according to the registration of names were these: Lucius A. Booth, Oakland; W. Fordice Jones, Temple, Tex.; Charles A. Keffer, Mesilla Park, N. M.; Samuel B. Green, University of Minnesota, Minneapolis; George W. Whittlesey, Washington; William S. Lyon, Los Angeles; A. J. McClatchie, University of Arizona; W. W. Everett, San Francisco; Chas. H. Shinn, Berkeley; Clarence L. Cory, Berkeley; W. S. Melick, Pasadena; F. H. Newell, Washington; Charles C. Swisher, Washington; Gifford Pinchot, Washington; Adolph Wood, San Bernardino; Nathan W. Blanchard, Santa Paula; George H. Maxwell, San Francisco; H. A. Barclay, Los Angeles; C. H. Van Epps, Whittier; William N. Campbell, Pasadena; O. S. Breese, Los Angeles; James Boyd, Riverside; Thomas G. Lawson, Los Angeles; J. A. Lippincott, Philadelphia; J. B. Lippincott, Los Angeles; M. M. Ross, Nashville, Tenn.; Harvey C. Stiles, Redlands; C. G. Baldwin, Claremont; C. A. Colemore, Santa Monica; George H. Peck, El Monte; Fred L. Alles, Los Angeles; H. W. Duncan, W. F. Burbank, A. R. Sprague, T. S. Van Dyke, C. M. Heintz, Los Angeles; S. M. Woodbury, South Pasadena.

The meeting on Wednesday evening, 19th July, was somewhat changed from what had been intended by the committee. The illustrated lecture of F. H. Newell was postponed until the next evening, to allow Gifford Pinchot, who desired to leave the city Thursday evening, to present his illustrated lecture. J. B. Lippincott concluded the session with an illustrated lecture on "The Bitter Root Range of Montana."

Gov. H. T. Gage, Senator Stephen M. White and Congressman R. J. Waters were not in attendance, having been detained else-

where on business. Assemblyman W. S. Melick, of Pasadena, was the first to address the convention.

At the session of the forenoon on Thursday, the address of Hon. Elwood Cooper was omitted, because of his absence, and the paper of A Campbell-Johnson, on "A Forest Experiment Station," was read by Secretary Whittlesey, of the American Association. The author of this paper urged the establishment of experimental stations and a systematic planting of trees.

H. Hawgood, the well known civil engineer, followed with a paper, entitled "Engineering Problems in Forestry and Water Storage."

The paper of S. H. Woodbridge, Ph. D., on "Water Conservation in Soils, followed." The speaker related the result of his own experiments to show that some varieties of soil absorb moisture much more rapidly than others, and the natural mould of an old forest is the best in every respect, being naturally more moist and consequently more ready to take in by capillary attraction the rain that falls upon it. The object of the paper, like that of the one that preceded it, was to show the absolute necessity of preserving the forests that protect the absorbent soil which serves such useful purpose in storing water for the use of man.

Elwood Mead, formerly state engineer of Wyoming, recently appointed irrigation expert for the department of agriculture at Washington, delivered an excellent paper on "The Future Policy for Irrigation in the West." He prefaced his remarks by saying that he had intended making his address applicable to local conditions here, but he finds that he can do that only after making a personal investigation. Conditions that apply to other regions could not be adapted to the needs of this country, and on this subject he will be more specific at some future time.

The tenor of his address was an unqualified indorsement of a proposal to lease for grazing purposes all the public lands, and to use the money thus obtained in the construction of storage reservoirs and irrigating canals. He argued that in regions where high freight rates prevail and production is scanty, it is folly to expect private enterprise to engage in great works of storage reservoirs and irrigation systems. For the state to undertake it a way must be found to raise the money. Taxation would be objectionable. The necessary money could be raised by leasing the public lands—a proposition that would be objected to by no person, not even those that would be the tenants. In some arid states, Mr. Mead said, the income that would be derived from the rental of the public lands for grazing purposes would far exceed the total taxation. The receipts from the rental could be utilized in the building of the needed storage reservoirs and systems of canals, and no additional burden would be put upon the people.

Because of the lack of a rental system the occupants of public lands feel that they have no tenure of possession. They will not even plant a tree or dig a ditch. They hold the land for what they can get off of it, expecting to move as soon as the last vestige of sustenance has disappeared from it. Under a rental system, the speaker said, all this would be changed, and there would be an income that could be converted to the public good.

Wallace W. Everett, associate editor of *Wood and Iron*, a San Francisco publication, next presented a paper on "The Practical in Forestry." It was an exposition of the sub-

ject viewed from the money-making standpoint, of the sawmill men, against whose inroads the forestry association is now doing battle. It seemed like a discordant note sounded in the harmony of the meeting, but it was an able paper on the subject. Mr. Everett, voicing the sawmill interests, frankly admitted that the lumber men are opposed to the policy of the association which hopes to save the mountain forests. The speaker made some suggestions as to how the association should proceed. The address was listened to with attention.

The concluding paper of the morning session was by O. S. Breese, of THE MINING AND METALLURGICAL JOURNAL, on the relation of the mining industry to the preservation of forests.

The most interesting part of the afternoon session was the consideration of those questions that are of strictly local application, by F. H. Olmstead, Los Angeles, City Engineer, and Mayor Fred Eaton, formerly City Engineer. These speeches were, however, prefaced by three others of a general nature.

Superintendent John McClaren, of the San Francisco city parks, spoke on the "Reclamation of the Drifting Sand Dunes in Golden Gate Park." The speaker explained the methods that had been employed to prevent the constant shifting of the sand dunes.

W. R. Dudley, professor of botany in Stanford University, spoke at length on "The Sequoia of the Sierra and their Distribution."

James D. Schuyler, consulting hydraulic engineer, spoke on "Storage Reservoirs as Affected by Forests."

Chairman Kinney here introduced F. H. Olmstead, City Engineer, who, with a large map of the country surrounding Los Angeles, showing the source of the Los Angeles River, spoke on "Forest Preservation and the watershed of the Los Angeles River."

T. S. Van Dyke spoke on "Irrigation Problems."

After reviewing at length the experience of land owners and co-operative associations in running irrigation systems, Mr. Van Dyke concluded by expressing his entire approval of the system proposed by Elwood Mead.

A paper on "The Forestry School of the University of Southern California," by George W. White, president of the institution, was read by Prof. Laird J. Stabler, and the exercises of the afternoon closed with an address on "Forestry in North Dakota" by W. W. Barrett, vice president of the association from that state.

The closing hours of the convention were occupied with some of the most interesting speeches of the day. The attendance was larger than at the previous sessions, and the audience seemed to take a great interest in what the speakers had to say.

F. H. Newell, Hydrographer of the United States Geological Survey, gave an illustrated lecture showing the conditions of our forests, and replete with views explanatory of dams and irrigation works.

Hon. George H. Maxwell of San Francisco, executive chairman of the National Irrigation Association, was the next speaker. He discussed "Nature's Storage Reservoir."

Abbot Kinney closed the speech-making with an address on "The Forest Problem in the West."

At the conclusion of the speech the Committee on Resolutions presented its report, and resolutions were adopted.

Numerous amusements had been arranged to entertain the delegates in Southern California.

MINERS' ASSOCIATIONS.

The value of Miners' Associations in protecting the interests of the industry has already been felt in the short period of eight years' existence of the California Miners' Association. The influence for good has been extended to the southern counties of California by the formation of the Southern California Branch with a membership that increases monthly as the objects and usefulness of union in a common cause become known. By invitation from this Association the seventy-seventh meeting of the American Institute of Mining Engineers will begin on the 25th of September next in San Francisco, after which the regular annual meeting of the California Miners' Association will be held. It is the privilege and duty of all who are interested in mining to become identified with this Association and benefit by these meetings and aid the proper representation of the importance of mining in Southern California. One of the objects of miners' associations is to propose and regulate legislative and other measures affecting the mining laws and industry. As there are a small class of well meaning but inexperienced enthusiasts who desire to make a change in our just mining law which allows the miner to follow the dip or pitch of his vein or deposit under the side lines of his claim when it dips at an angle from the vertical, to the square location with vertical side line boundaries, which would be an unjust law to capital and labor invested in almost all the mining districts of California, it is the duty of mine owners to cast their influence against such an unjust, ill advised and backward step by joining the California Miners' Association and defend their own interests. Such a change in our laws would put a restriction and limit on deep mining by giving to another party the continuation of your vein in depth when it passed under the side line of your claim. It is an eastern State or farmer's boundary, and is suitable for surface conditions but not for underground or mining operations as it does not restrict or stop the theft or appropriation of ore, but gives the result of your labor and discovery to another. The chief contention of such parties who desire to change the present law is that it is productive of litigation, but they do not stop to consider that the error lies not in our mining law, but in our wrong manner of settling disputes among miners in courts of law by lawyers whose interest it is to carry on the fight for all there is in it. The settlement of any disputes arising out of mining can best be made by arbitrators who are mining men by visiting the ground and taking the evidence on the spot. In the early days of California that was the manner adopted of settling mining disputes and consequently long and expensive litigation was unknown until miners resorted to the courts of law and lawyers to obtain justice. For these and other equally good reasons every miner and prospector should give his influence in defending his interests by becoming a member of the California Miners' Association.

FUEL SUPPLY OF THE PACIFIC SLOPE.

The local coal supply of the Pacific Coast is derived from the soft, inferior lignites of cretaceous age, and amounts to so little that it can hardly be considered a competitor with that imported by sea from foreign ports or by rail from New Mexico. It is not produced in sufficient amount to be classed as a competitor with foreign coal or with the local supply of

asphaltum base crude oil for manufacturing purposes. On account of the small area of these local coal fields and the small width of the beds of it found therein, there is no hope of future discoveries of large supplies*. The local fuel oil, which has great heating power, is a much more important factor in competition with coal imported by rail or by the sea. The present market value of this oil has recently increased to \$1.25 per barrel on account of the advance in the price of iron and steel, which is used for oil well casing. Three barrels of oil are considered equal to one ton of coal for steam purposes. For household purposes the imported coal from British Columbia, Australia and England has been the chief source of supply. For these reasons the Pacific Coast of North and South America presents a new market for the bituminous and anthracite coal of the Eastern States when these States awake to the necessity of fighting the railroad monopoly which controls legislation in opposing and preventing the speedy construction of the Nicaragua Canal. The coal trade of the East is only one branch of United States commerce that is shut off from part of their own territory and in doing an export business on the Pacific by the railroad monopoly. With the construction of the inter-oceanic canal vessels would bring out Eastern coal and manufactured articles and take back lumber, minerals, fruit and grain to the East. Eastern enterprise is as much interested in this worthy project as are the Pacific Coast States.

AN ERA OF STRIKES.

The country has been, and still is, passing through a series of strikes, unusual in number and in stubborn pertinacity. There are constant mutations in business conditions, and, consequently, the relations in some aspects of labor and capital are as constantly changing. The real struggle is for a deserved share of produced wealth on the part of labor.

There are repeated asseverations of prosperity in the country, and the prices of some commodities have greatly advanced, and with no increase in the cost of production, the profits to capital have been greatly enhanced. Seeing this has caused the operatives to believe that their wages should be correspondingly raised, and because this has not been done, and is refused, strikes are resorted to for the enforcement of compliance with the terms of the workers. The antagonism between labor and capital is the same as that between buyer and seller, or producer and consumer. The selfishness of human nature often interposes obstacles to relations of fairness and justice which should ever exist between the various classes of humanity.

It is unfortunate that there cannot always be an understanding, based upon what each deserves in the allotment of wealth as it is produced. There are two reasons why this is not done, one being too much egoism, and the other is the want of knowledge of conditions which should be taken into consideration in awarding the just share to each.

Capital does not of itself produce wealth, but it is a useful and necessary agency in carrying forward enterprises and industries by which opportunities are afforded for producing wealth in conjunction with labor. The possessors of capital thus invested are entitled to be guaranteed not only against

loss, but to a just and reasonable remuneration, which should at least be sufficient to compensate for the trouble and hazards of making the investment, and more than that, as capital may be regarded as so much stored labor, it should have an earning power, that the aged may have the means of livelihood when their earning power has departed from them.

Labor should not be deprived of its fair share of produced wealth, and there would be no collision between the forces of labor and capital, if there were a disposition on both sides to act justly, and the intelligence to comprehend the inevitable ups and downs in business affairs.

Capitalists should not make a cast iron rule as to the profits they will exact, nor should labor make an unchangeable scale of wages. There should be a sliding scale on both sides, and equitable changes made to correspond with the varying conditions of business.

The right to refuse to work when terms are unsatisfactory is undeniable, but dissatisfaction should rest upon substantial grounds, and not upon an inadequate knowledge of existing facts. Strikes that proceed no farther than cessation from work no one should find fault with, except those who suffer from the non-earning of wages, but those which are attended by destruction of property, or interference with those who are willing to work on proffered terms, are more than reprehensible, they are crimes against society. The principle is the same whether property is wrongly taken from one or he is wrongfully prevented from earning property. Labor organizations should guard against the undue exactions of capital, but because among laboring men there are non-communicants with labor organizations, it is no excuse for a resort to coercion and violence.

The indefensible conduct of strikers in the past has kept a large number of thoughtful and good men from becoming members of labor organizations. A just course will largely increase the membership, and create a more extended and deeper sympathy on the part of the American people. Reprehensible demands and incendiary agitation estrange sympathy and impair the effect of organized effort to protect the rights and promote the interests of the working classes. Labor and capital are interdependent, and should be cordially co-operative.

These are some of the general principles that should be respected. The issues in specific cases it is not our purpose or business to discuss.

THE PNEUMATIC CYANIDE PROCESS.

The claims made to invention and patent by certain Denver, Colorado, parties, represented by Jean Webb as the inventor of the improvement in operating a cyanide plant in obtaining or increasing the required supply of oxygen from the atmosphere by the introduction of compressed air into the vats is not new, as can be easily proven. The use of air for this purpose has been practiced by Messrs. Dean and Brand at their mill near Kane Springs in the Randsburg district, California, for about four years. Messrs. Porter and Llewellyn at Garlock used the same appliance and it has been in use in other mills in California for the same time, so that it is not a new invention as claimed by the would-be patentee. The supply of air was obtained by Messrs. Dean and Brand from a small air

*We will watch the development of the coal beds at Garlock, Kern county, Cal., with interest.

compressor which they added to their plant as an experiment, which proved a success, as the mechanical action of the air circulating through the solution aided the chemical production of cyanogen, as well as the solution of the gold in the ore by keeping it agitated at no extra expense, except for the first cost of the compressor and fittings. These operations were not conducted on the laboratory amount of a ten-pound sample, as the Colorado experiments have been, but were in daily use in large vats holding several tons of ore. As it is several years since the writer obtained this information from Messrs. Dean and Brand, the exact capacity of the plant cannot be given correctly.

CORRESPONDENCE

IDAHO.

BOISE, IDAHO, July 8, 1899.

Here is a very pretty little town of some seven to nine thousand population, resting against the foothills of the mountains that bound the Snake River Valley on the north. It is 20 miles off the route of the railroad, and few transcontinental travelers know of its existence; but those who do make the side trip on the stub railroad running from Nampa on the main line, and who stay long enough to learn something of the place and the surroundings, do not consider the time lost. Just at the city the Boise river emerges between black, lava-capped buttes from the mountains, and after flowing westward fifty miles through a very fertile valley, empties into the Snake.

No one seems to know exactly when the first French voyageurs or Jesuit Fathers arrived from the north at the mouth of this fine stream, and attracted by its clear water and the wealth of timber fringing the banks and covering its bottoms—presenting such a contrast to the majority of water courses in Southern Idaho—called it the "Riviere Boise", or Wooded Stream. But, as early as 1830 at least, and probably years before, the Hudson Bay Company had a small trading post at its mouth. In 1803, when what is now called the Pacific northwest, by being a part of the Louisiana Purchase, passed from the sovereignty of France to that of the United States, the government seems to have established a little military post at or very near the site of the older fort, which probably had for its main purpose the protection of emigrants who were traveling by the Snake River route to the Pacific ocean.

In 1860, the overflow of miners and prospectors from California and Oregon poured over into Idaho and made the first discovery of gold within its present borders on one of the branches of the Clearwater, about 200 miles north of Fort Boise. During 1861 and 1862, the miners rapidly worked their way southward through the mountains until, in the fall of the latter year, the wonderful placer deposits of the Boise Basin were discovered. This caused such a rush into Southern Idaho that the government moved its small post at the mouth of the river up to the base of the hills from which the Boise river emerges, and that incident determined the location of the town. It became at once of course the supply point for the newly-discovered gold mines.

Situated on a gentle, sloping plain between the river and the hills, where the soil is rich and deep from the disintegration of the lava-capped ridges close by; abundantly supplied

with water for irrigation; provided with plenty of business in furnishing supplies to the army post and the miners, the little town prospered from the start; but like all individuals and communities who make money too easily and too early in life, soon lost energy and push, became indifferent of the future under the belief that it was a favorite of fortune; acquired a tremendously swelled head when it was chosen the capital of the State, and lost its senses completely. So when the railroad in 1884 came along through the Snake Valley, and the citizens were asked what they would do for it in the way of depot facilities and rights of way, the self-satisfied property-holders, believing that the railroad had to come to them, looked important and said they had land to sell if the company's pile was large enough—if not, they were sorry, etc., etc. Thereupon the representative of the company shook the dust of the town from his feet, and went and located his line 15 miles south over a low ridge and passed on to the Pacific. Since which time the live citizens of the place have been repenting in dust and ashes, while the rest are hoping to live till the day when some new transcontinental line will come along this way and give them another chance.

The Boise cemetery, however, shows healthy signs of growth of late. There are indications that the old town is acquiring its second wind. A new set of men are coming in and seizing control of its business. There is a decided revival of mining in the Basin (of which more anon) and of railroad talk in the hotel lobbies. A single car does duty on the electric tramway line running from one end of the city to the other. Cement sidewalks are being laid in many places. The town itself is really such a pretty one, and so deeply embowered in trees, that but little in the way of cement improvement is needed to make a showing. Of course it has an electric light and power plant, and a telephone exchange, and the latter extends up into the Basin and across the Snake Valley to the Owyhee Mountains, where there are great quartz mining interests, and is also connected with the general telephone system building eastward from the Pacific Coast. Boise can already talk with Los Angeles, San Francisco, Portland, Seattle, Spokane and Helena; and before the year is out will be in connection with Salt Lake.

The Boise Valley appears to be better adapted to fruit raising than to any other branch of agriculture, and of the fruits, the countryside seems to have become more violently addicted to prunes than to anything else. At any rate, the largest prune orchard in the United States—and perhaps in the world—is a few miles below the town. Idaho prunes are thought to be fully equal if not superior to any raised, and evidences are not lacking that many thousand pounds of them each year masquerade successfully in the Eastern States under the brand of "Imported Turkish." Thus does home industry flourish at the expense of the effete European and in spite of the efforts of the Europeanized American.

Artesian hot water is the specialty of the place. Denver has its own and only snow-clad mountain range to boast of; San Francisco calls the seal rocks its especial attraction; Los Angeles the beautiful San Jacinto range and the ostrich farms; Salt Lake City points to its inland ocean bathing as its particular charm; Butte mentions copper as its monopoly; Boise in its turn is the one place in the Union where newer business blocks

and residences are heated and supplied with natural hot water. The fluid was encountered 300 feet from the surface at a point about one and one half miles east of the town. It is utilized first in supplying what is by very long odds the finest natatorium on the continent, with a stone and cement plunge 60x120 feet, surrounded by a beautiful building containing all the concomitants of such an institution; and then the overflow, conducted in iron pipes to the heart of the town, is passed through all the finer recently erected buildings. The streets are sprinkled and washed with hot water, and it is all the year round—but particularly in summer—an unmixed blessing to laundrymen, housekeepers and hotels. Being quite free from mineral and quite hot (170° Fabr.) it finds its way through the community leaving no unpleasant trace or trail behind, a blessing to all. The only weak point in the institution so far seems to be that there is not as yet enough to go around. But in the new life that is coming to Boise, new wells will be sunk, and more hot water developed. The source appears to be in a volcanic butte close to town, whose internals only need scientific and persistent probing to produce an unlimited, or at least, a greatly increased yield.

I am off for the Basin in a few days, and will shortly have some notes on that interesting region from which the gold has been pouring in a steady stream for the last thirty-six years. THEO. F. VAN WAGENEN.

PENNSYLVANIA.

Iron Castings Advance in Price.

At a special meeting of the jobbing foundries of Philadelphia and vicinity, at the Manufacturers' Club, under the auspices of the Foundrymen's Association, on Thursday evening, July 6, '99, the following was unanimously adopted:

Resolved: That, on account of "the rapid rise in price of pig iron, scrap iron, and other raw material, it is the sense of this meeting that the present price for iron castings is too low," therefore be it

Resolved: That "The price of iron castings be advanced $\frac{1}{4}$ c. to 10 c. per pound, to take effect immediately."

Resolved: "That should there be a further rise in pig iron, scrap iron or raw material, that the price of iron castings shall be advanced at least in proportion."

HOWARD EVANS, Sec'y.

The Mystic Rotary Quartz Crusher Co., composed of B. I. Turman and T. J. Hampton, sole owners of the Mystic Quartz Crusher, for crushing all kinds of ores, wet or dry, have issued a pamphlet descriptive of the machine. This crusher is built on entirely new lines, and a mill that will crush 20 tons in 24 hours, through a 30-mesh screen, costs \$1,200. Ex-Governor H. H. Markham had one mill on his American Girl mine, at Hedges, in San Diego County, Cal., and has ordered another. For further particulars, address the main offices, 132 South Broadway, Los Angeles, Cal.

The American Diamond Rock Drill Co., of 120 Liberty Street, New York, report as among recent sales one diamond drill for South America, one for Canada, two for the Southern States, one for Pennsylvania, and two for Central America. The supply trade is also keeping the shops busy, and the outlook seems good for increased business.

TWO REPUBLIC MINES.

PRINCESS MAUDE.

The roughest kind of figuring upon the showing in the Princess Maude mine at present indicates that there is 40,000 tons of ore practically in sight and there is little reason to doubt that this will average \$15 per ton. Certain it is that the average of the ore thus far encountered in the drift in which work is at present being prosecuted is better than \$15 per ton. The ore chute on the Princess Maude is practically demonstrated to extend 480 feet through the claim. The present workings are at a depth of 262 feet. It is certainly safe to say that there is a round half million dollars' worth of ore in sight and it is more than probable that the actual value of the ore is nearer twice that sum.

A shaft on the Princess Maude ledge near the south end line of the claim is down 104 feet. In this is four and a half feet of quartz showing in the bottom. Assays of this made from samples taken in the presence of the correspondent of the *Spokesman-Review* last summer went over \$30. There were indications that the shaft had struck on the edge of a pay chute, as the ore on the south side of the bottom of the shaft went about \$18 and on the north side it went as high as \$36. The showing was so satisfactory that it was decided to drive a tunnel to catch the ledge at a depth of 260 to 270 feet. About the time this was started a shaft was sunk on the Dude fraction, a narrow wedge of ground lying between the Princess Maude and the Jim Blaine. This shaft prospected the Princess Maude ledge to a depth of ten feet and showed ore which assayed as high as \$18 across four feet of quartz. It was this showing which led the Jim Blaine company to start a tunnel which is now being run to catch the Princess Maude vein where it runs through the Dude fraction into the Jim Blaine and thence on into the Republic claim.

The distance between the shaft at the south

end of the Princess Maude and the one on the Dude fraction near the east side line of the Princess Maude is about 480 feet. The development proved that chutes of pay ore existed in the ledge at both ends where it passed out of the claim. By many it was deemed the height of folly when the management started a tunnel to catch the ledge at a point about midway between the two shafts. It was argued that ore chutes are rarely over 200 feet long and that the ledge was almost sure to be encountered in a barren place.

The tunnel was started last October and the work was carried forward with out a pause, three shifts being employed most of the time, until at a point of 407 feet in from the portal, the ledge was encountered. Those who had expected barrenness were surprised, and even the most sanguine were astonished when it was shown that the tunnel had encountered ore even richer than was shown in either of the shafts and with the ledge fully as strong as it had shown at any other point. Doubters were satisfied, and there is not a mining man in camp today, who knows his business, who does not regard the Princess Maude as one of the proved mines of the camp.

There is a favorable feature in the drift at this time that should not be overlooked in placing an estimate on the value of the property. As it goes south in the direction of the shaft the quartz has become of a uniform appearance throughout and cannot be distinguished from that in the Republic mine. There seems no question as to the future of the Princess. It is no longer a prospect but



FACE OF SOUTH DRIFT, PRINCESS MAUDE.

a mine. When the ore chute that is such a prominent factor in the history of the Republic passes out of its own ground into the Jim Blaine it is but reasonable to believe that it will continue from the latter into the Princess Maude ground. The pitch of the chute will preclude any other result.

The company was incorporated with a capitalization of 1,000,000 shares, having a par value of \$1 each. The stock was offered to subscribers at the low figure of one cent a share, and within five days all the promoters' stock had been taken and active development was begun on the claim.

Since July 15, 1898, at which date the shaft was begun, there has been no cessation of work on the property. The shaft was sunk to a depth of 104 feet, and it then became apparent to the management that machinery would have to be put in or some new plan of operating the claim devised. It was decided that the cheapest plan was to run a tunnel which would drain the mine to a depth exceeding 200 feet, and would save a large expense in hoisting the rock to the surface. In October the work of excavation for a site for the proposed tunnel was begun, and in a few days thereafter the actual work of constructing the tunnel was inaugurated. After the ledge had been cut and crossed a drift was started along the ledge in a southerly direction. This drift will be continued until a point is reached directly beneath the shaft, when a raise will be made until the shaft is reached. This course becomes necessary in order to ventilate the mine and also to open it up ready for stoping.


The ledge, which has an average width of about seven feet, passes out of the Jim Blaine ground through the point of the Dude Fraction into the Princess Maude and thence into the Butte and Boston. The ledge will shortly be cut again near its southern boundary line by the Jim Blaine tunnel at a depth of about 175 feet. Within the next three months it is quite probable that the Princess Maude will be among the best developed claims in the district, and will be in condition to be a shipper.

JIM BLAINE.

"Jim Blaine" one of the principal properties of the Republic Camp is



PRINCESS MAUDE TUNNEL.



destined to make a great mine. Owing to the fact that this property has been until recently under the same management as the Republic, development work has not been pushed. The property being to a great extent developed through and by the workings of the now famous Republic. The south end of the Republic on the New York is now but a few feet from the Jim Blaine north end line. The ledge at this point is about 10 feet wide showing its strength to be undiminished, and it is in the middle of a pure white almost crystalline quartz which is as high as \$225 per ton in gold. The solid clean ore is about four feet wide.

From the accompanying map it will be seen that the Jim Blaine is better than the Republic, and at a little greater depth and with the same amount of development as on the Republic will become equal to and on all probability show even greater values than the Republic.

From a mining standpoint the Jim Blaine is as yet an undeveloped prospect, nevertheless when the workings of the Republic are considered and the immense importance appreciated that the pitch of the big ore bodies in the Republic mine are to the south taking them directly into the Blaine ground at a depth of only a few hundred feet it becomes apparent that the property is of immense value and with active development capable of producing dividends equal to if not surpassing the much heralded Republic.

The company has a very able directorate all mining men standing at the head and in charge is Mr. Patrick Clark, the president who has acquired through his vast capabilities and success as a mining operator a world wide reputation and at the same time amassed fortunes for his associates and followers (stockholders). Spokane is now adorned by residences valued at sums ranging from \$10,000 to \$50,000, owned by men who but for Patrick Clark would today be occupying but humble cottages.

Large business blocks are a monument to his success and energy, while the town of Republic owes its birth to his wonderful foresight. Yours truly

BRITISH CANADIAN INVESTMENT
AND MINING SYNDICATE

Cananea Mines Sold

A controlling interest in what George Mitchell claims to be the richest copper prospect on the American continent was sold to a syndicate of New York capitalists.

Mr. Mitchell was for four years the superintendent of Senator W. A. Clark's United Verde mines at Jerome, Ariz.

"Our deal was finally closed up at Phoenix," said Mr. Mitchell to an *Express* reporter. "The new purchasers took only control in the mines, which I'll guarantee to be the greatest copper property in America. Our location is La Cananea, District of Arizpe, State of Sonora, where we have a smelter of 200 tons capacity as part of our works. The mines cover 3 1/2 miles of territory and are at present netting a good sum per day. Some of the stuff taken out shows up 98 per cent pure copper."

The new owners of the controlling interest in the mine are to improve it thoroughly, and will greatly increase its production. About 200 men are now employed.

Mr. Mitchell was adverse to disclosing the exact amount of the purchase price paid by the New Yorkers. He volunteered after some persuasion the information, that \$1,500,000 might be put down as having been about the right figure.

When Mitchell left the Clark mines at Jerome the employes clubbed together and presented him with a beautiful gold watch, a chain and locket made, made of pure native gold, and a large solitaire diamond ring all of which he wears, of course, with considerable pride. He has for years had a reputation as one of the most noted copper experts in the world.

"Marcus Daly and W. A. Clark both had experts examine the Sonora mines, controlling interest in which has just been sold," he said, "and the experts always walked past the big mineral deposits which our people have since uncovered. Most of the stuff has been uncovered during the past two years."

In Siskiyou county there are 225 stamps and two Huntington mills. Of the stamps 150 are a continuous operation. Some run full shifts, some do not, the 4 being governed by the water supply. About 40 stamps are idle from various causes, and 35 are worked occasionally.

AUTOMATIC CUT OFF ENGINE

A color-plate illustration represents the Class 1 Standard Center Crank Automatic Cut Off Engines being put on the market by James F. McLaughlin & Co., Springfield, Ohio. They are intended to meet the demand for a thoroughly good engine and are especially cared for for use of Automatic Engines in the smaller sizes up to 50 h. p. that will prove durable and economical in operation. Fig. 1 is a view showing steam chest side, while fig. 2 illustrates the governor on the hand fly wheel and fig. 3 shows cylinder side.

The main bed or frame is of substantial proportions and of a design affording extra strength and stiffness. The cylinder and steam chest are of overhanging type cast together, and firmly bolted to bed, bored out, and have very generous surface. Cross head is of improved mechanical design having pin about mid center and provided with gun metal wedge shaped shoes above and below, arranged for convenient adjustment. Manner of fitting cross head pin enables easily keeping same absolutely tight at all times. Piston rod is of steel, and turned to a tight force fit in piston, with suitable shoulder, against which piston is forced on rod and end of latter is then securely riveted over, tightly and firmly holding piston in place. The connecting rod is provided with extra heavy brass boxes at each end, easily adjustable for taking up wear and keeping distance between centers same at all times. Main shaft is extra large and strong forged in one solid piece, from best quality hammered iron or steel, and is provided with suitable counter balance discs, securely attached. The rectangular form of skeleton slide valve is used, balanced by being fitted with a pressure relieving plate on back between valve and steam chest lid and is arranged to afford necessary relief in case of water in cylinder and also made adjustable for wear. This gives a simple efficient and well balanced valve, that is easily understood, and no more trouble to care for than the ordinary type of plain slide valve. A simple and convenient device not shown in cut is




FIG. 1



FIG. 2




FIG. 3

provided for draining cylinder same being operated by one lever and having outlet from each cylinder cock suitably connected to exhaust pipe.

These Engines are equipped with the Ritz's Governing System which is the acme of simplicity, as shown in fig. 3. The governor consists of one piece, comprising the arms and weights with one spring connection and is pivoted on one hardened steel pin nothing complicated, no links, no numerous joints or complicated parts. This governor, with the balanced valve used affords a regulation that is practically perfect, speed being constant, and the same with engine loaded or running empty.

The manufacturers will be pleased to quote prices and furnish prospective users with any additional information desired regarding these engines.

The famous Mariposa estate, territorially one of the largest gold mining properties in the United States and the finest quartz property developed in California, is to be reopened and worked after a suspension of operations for nearly thirty five years. The gigantic nature of the undertaking makes the news of the first importance, and promises to have great influence on the mineral development of California.

The Mariposa grant, as it is often called, is located in Mariposa county and covers an area of 44,387 acres or about seventy square miles, being a strip of land fifteen miles in length and of an average width of five miles. The principal developments in this great territory are the Princeton, Josephine and Pine Tree mines. In addition, there are also the Elizabeth, Green Gulch, Mariposa, Mount Ophir and Mexican, but although the tract is intersected by a network of veins they are scarcely more than prospects.

From about 1848 to 1864 the property was extensively worked the Princess mine yielding \$3,000,000 down to the 500 foot level. Since then operations have been conducted in a tentative fashion, mostly in the way of tunnels. Not giving results hoped for, they have been allowed to lie idle.

Miscellaneous Mining News.

ARIZONA.

S. P. Creasinger of Los Angeles has bought a group of copper mines in Lost Gulch, near Globe, from W. T. McNelly, W. F. Westbrook and Dory Harris. A company is to be formed with \$1,000,000 capital, and called the Creasinger Mining Company; to work the mines. In the purchase the former owners of the mine receive 49 per cent of the stock. It is said that \$25,000 in stock has been set aside for improvements. The consideration of the sale is said to be \$1000 in cash and 473,000 shares of the stock. The claims in the sale are as yet only prospects, but it is said that good copper ore has been disclosed.

The Equator mine, on which work has been suspended for a long time on account of litigation, will soon be reopened. A compromise has been effected by which the property is divided in two. W. A. Clark, who got one-half in the division, calls his property the Copper Chief of Jerome.

But the greatest interest is felt in the Dillon mine, located by Ralph Dillon, who is now backed by Scotch capital. About \$64,000 of machinery has already been put up, and more will be ordered when the mine shows up well enough to justify it. A great deal of development has been done in this mine. The Dillon lies in sight of Jerome and near the United Verde mine.

A bulkhead is being built by the Copper Queen Company of Bisbee, Arizona, in the rear of the fire station as a precaution against floods.

A strike of 1200 ounce silver has been made on the American Flag in the Wallapai mountains. The mine is one of the old producers that made Mohave county men rich.

CALIFORNIA.

AMADOR COUNTY.

Gibbon & Horn have started their big clay and gravel washer at Jackson. For the past month they have been making repairs on the machine, putting in a new hoist, etc. This machine is a perfect success in washing clay, and mining men are greatly interested in its operations.

Frank A. Stewart and Charles Lavala, owners of the Katherine mine in the Pioneer district which is located near the Defender, are shipping some high-grade sulphuretted ore. At present the sulphuretted lead is sixteen inches wide, and as they sink it is widening. The quartz vein is two feet wide and assays about \$70 per ton. The owners are rapidly developing this mine, and it bids fair to be of considerable value.

Some of the directors of the Bellwether at Jackson are in the East, and are having good success in the matter of disposing of the stock of the company. They expect to get in condition to resume operations on the mine about the first of August.—*Amador Ledger*.

CALAVERAS COUNTY.

There has been encountered in the Gwin mine a ledge at the lowest depth of the shaft, which gives promise of putting that mine in the list of high-grade gold producers. The ledge, where encountered, is two feet thick and assays \$30 per ton.

The Thorpe mine at Angels has closed

down. It has been reported that the mill would be the only department closed, and the sinking operations would be carried on, but a statement made by one who is in a position to know says the shut down will be complete.

EL DORADO COUNTY.

The Bowlder mine, on Webber creek, seven miles from Placerville, was closed last week on account of a shortage of water to run the mill. The water supply on the Gold Hill branch of the El Dorado canal will be needed for the next three months by the farmers and horticulturists in that vicinity.

The Crystal Gold Mining Company is the name of a new corporation organized to mine in El Dorado county, the company's principal place of business being at Sacramento. The directors are Henry E. and William E. Kleinsorge of Sacramento, F. L. Simpson of Grizzly Flat, S. C. and Charles Boardman of Canyon. The capital stock is \$100,000, of which one half is subscribed.

FRESNO COUNTY.

W. R. Brown of Pine Ridge found a ledge of iron sulphurets near the road about ten miles from Fresno. He procured a pick and shovel and soon discovered that the ledge was fully ten feet wide and running northwest by southeast, parallel with the railroad. Mr. Brown took a chunk of the ore to town. It is very heavy and appears to be iron sulphates in which is imbedded gold bearing quartz. Mr. Brown will have the ore assayed at once, but as the ledge is on patented land, he will not divulge its exact location until he is advised of his rights in the premises. This is the first ledge or lode of mineral-bearing rock ever discovered on the open plains.

SAN BERNARDINO COUNTY.

It is announced that H. C. Steele and E. F. Zombro of San Bernardino have bonded the Los Angeles mine in the Dale mining district for \$40,000, and will commence development work on a large scale.

SAN DIEGO COUNTY.

The nineteenth report of Receiver C. W. Pauly of the Golden Cross mines, covering the month of May, has been filed in the Superior Court of San Diego county. The clean-up for the month amounted to \$18,394.03. The receiver paid out during May, for the benefit of the property in his possession, claims aggregating \$13,586.75. After making all payments \$24,442.47 remained in the hands of the receiver. The payroll for the month was \$7000 and \$600 was paid for fuel.

There is a mystery over the Ranchita mine, which Gail Borden and associates recently bought for a price said to be \$150,000. A miner recently from Banner, San Diego county, reports that the Ranchita has been shut down by its new owner and the miners have been paid off and discharged, leaving only two men in charge to take care of the property. It is said that the cause of the shut-down is a disagreement between the new proprietors and the former owner, Cave J. Couts, but the exact nature of it is not known. There were eighteen miners employed in the mine when the shut-down took place, which was about two weeks ago. A five-stamp mill had been added to the place, and everything was in readiness to begin work with the new mill. A test was ordered and the machinery was started. Twenty min-

utes later orders were issued to close the mill, shut down the mine and pay off the men.

The orders were a complete surprise to everybody employed in the mine, as everything had been running smoothly and preparations had just been completed for developing the mine on a larger scale than had ever before been attempted. The owners gave no reason for shutting down the property, and further than the unconfirmed rumors which are afloat in the camp, and the statement that there had been a disagreement between the present and the former owners, nothing is known by the people of Banner concerning the shutdown. The miners employed in the Ranchita were offered work in mines at Randsburg owned by Mr. Borden, and all took advantage of the offer and have gone to that camp.

Mrs. E. H. Hendsch, dressed in male attire and under the name of E. H. Harding, an alleged mine expert, attempted to get into the mine but was not permitted to do so by Cave J. Couts, who was in charge of the property. The cause of this procedure has not as yet been made apparent.

The American Girl

The American Girl Mining Company just incorporated with H. H. Markham as President; Thomas Johnson Vice President; G. H. Coffin, Secretary; F. S. Daggett, Treasurer, has just purchased five mines near Yuma, and work will begin August 1st. A plant will be established.

The Grapevine District.

Aside from the interested parties the reports of the disinterested practical miners who have visited this new district southwest of Banner, in San Diego county, indicate that it is doubtless a very promising field of favorable prospects that will be good for one-half of the next century. The mines are easy of access from Los Angeles via Temecula per rail, then stage to Julian, or from San Diego via Fosters per rail and stage to Ramona and Julian. It is an easy route for the construction of a railroad from Seven Palms or Dos Palms on the S. P. R'y. Abundance of water and wood are procurable in close proximity to the mines, while the climate is perfection. All the necessities of life and even the luxuries, such as fresh vegetables and fruits, are also to be had. The veins of ore run north and south. They are of immense length and widen out in going down. In all probability they are a continuation of the Mother Lode that skirts the eastern and western foothills of the Sierra Nevada range. It is a sulphuretted ore that carries a great deal of silver and copper. It is reported that one of the purchasers of some of these mining properties, a Mr. Clark of British Columbia and Washington State, intends to erect a large cyanide plant there, which will be a great saving in transportation in treating the ores. From all indications a great mining camp will eventually be established in the Grapevine district. The natural conditions exist to make such, and there is no mistake as to the richness of the ores and its immensity. It and the adjacent country south and west is practically a new country, unexplored and undeveloped, and when once brought forward to the attention of mining men and capitalists some surprising results will be shown.

SISKIYOU COUNTY.

The Schroeder quartz mine, in Siskiyou county, has just been sold to the Canada Mining Company. The price is reported to

be \$1,000,000. This is one of the largest sales of quartz properties ever made in Siskiyou county. The Schroeder mine has an excellent reputation as a paying property, and the purchasers will reap handsome profits from their investment. The property is situated in the Deadwood mining district, about seven miles from Yreka and is finely developed, Mr. Schroeder having tapped the ledge at a depth of about 1200 feet. Just over the divide from the Schroeder mine is the Humboldt mining district, where some excellent prospects have been discovered.

TUOLUMNE COUNTY.

The Bell mine, Tuttle town, is being unwaveringly preparatory to the resumption of the work of sinking the shaft.

The break in the main flume above Sugar Pine caused a partial shut down at about all the leading mines north of the Tuolumne river last week and put a stop to road sprinkling as well.

The mill on the Mountain Lily mine on the Mother Lode, which has been running steadily for the past six weeks with flattering results to its owners, shut down for a few days July 1st to make a cleanup.

Prof. J. P. Von Dussell has struck rich ore on the Stanislaus, near Robinson's Ferry. A company of Illinois capitalists has taken hold of the property and is developing it.

TULARE COUNTY.

A temporary closing down of the Minnie-Ellen mine in Tulare county, pending arrangements for an extension of time on the bonds is reported. The time was up on the 22nd of July, at which date the whole of the purchase money was due, or in default of payment the mines revert to the owners. F. Cook, one of the owners, offered an extension of time if MacDonald, who gave the bond, would augment the price. This, it is understood, MacDonald has refused to do.

COLORADO.

Findley's new strike at Cripple Creek is important. It opens entirely new ground. The vein is claimed to be very strong and seven feet wide. The ore is reported as running—or rather assaying—only an ounce and a half. The strike is on the north block. It was made in a south crosscut from the shaft at a depth of ninety feet. The strike is close to the west line of the claim, and is generally conceded to prove beyond question that the Findley contains the big Hull City-Atlanta vein, and at least 300 feet of it. The Steel-smith lease will have a good stretch of it. It lies over 100 feet north of the Carpenter vein.

Rich ore has been encountered in the Tillery lease on the Orizaba. There is a pay streak ten inches wide and very rich in sylvanite, running in the neighborhood of \$3000 per ton.

The Galena mine is running the 300 and 350-foot drifts from its shaft. They also have a number of leasers at work and about twelve men in all find work underground on this property. Several shipments of iron ore have been made recently, and a considerable amount of mill dirt has been sent to the mills at Black Hawk.

IDAHO.

Manager Hunter has received instructions from the London office to begin work on the mill level tunnel, at the De Lamar mine, and

preliminary work has already been commenced in making surveys and arranging to begin the actual work. The compressor now up at the mine will be moved down to the mill, to be placed so that it may be run either by steam or water power, and power drills will be put in place. This means a two years' undertaking, employing a force sufficient to keep the work going continuously. The tunnel will cut the veins in the mines below the lowest present depth attained; will do away with all the pumping plant, and eventually do away with the use of the present trainway and bring all the miners down town.

It seems that a dredging process has at last been found that saves the flour gold of Snake river. The gold in the Snake river is so fine that it takes from 900 to 1000 colors to make one cent, and it is so light that when dry it floats on the top of the water like so much bran. The difficulty of saving a profitable per cent of this gold is therefore apparent, but this dredger seems to do this without trouble. The machine is in operation at Bridge island, near Payette, where it runs day and night.

MICHIGAN.

Michigan Mining Notes.

The Lake Erie Asphalt Block Co. has about completed the construction of the mineral storage bins on the Tamarack stamp and pile. The conveyors and dock are partly finished and will be completed soon. In a few days the work of filling the bins will begin.

Attention will soon be given the old Goodrich mine, which has lain idle so many years. Arrangements are now under way for a resumption of operations at this property. There is known to be a 12-foot vein of hematite of bessemer grade, and besides this there is a large body of silicious ore which will yield about 45 per cent iron.

The Oliver Mining Company has secured an option on the Hartford property, Negaunee, and will immediately proceed to give it a systematic test. The Hartford lies immediately east of the Cambria, and the Cambria ore is pitching in that direction. The Hartford will probably have to sink to a depth of more than 700 feet to catch the extension of the fine deposit now being worked by the Cambria. A diamond drill boring will be made. It will be vertical and located near the old pit at the Hartford.

MISSOURI.

Joplin's Lead and Zinc.

The official figures for the Joplin district show an output of lead and zinc valued in 1898 at \$7,000,000. For the first twelve weeks of 1899 the output amounted to \$2,274,552, and for the first eighteen weeks to May 6, it amounted to \$3,880,264. This proportion, if maintained, would bring the value of the 1899 output to \$12,000,000.

MONTANA.

The Philadelphia Company, that has been working since May 1, digging ditches on More creek, ten miles below Idaho City, has the work completed and is now at work on the bedrock flume. The company has placer ground extending along the creek a distance

of four miles, and it will give big returns next year and some big clean-ups may be made in the coming fall.

Work is progressing rapidly on the new dredge on More creek.

Thomas Barry has put a force of men at work on the Olympia gold quartz mine on Summit Flat.

Considerable development is going on in the ledges at Miller diggings, ten miles north of Banner. The veins are from 20 to 40 feet wide, but the ore is not usually high grade. Mining men however, say that they are just such properties as companies want. With good sized mills they will pay handsomely. The district is large and some of the ledges crop for three and four miles in length.

The Moriarty brothers are getting ore out of the Boulder, on Elk Creek, and will start up their 30 stamp mill shortly.

John Kinkaid has a force of men at work in the Elkhorn. They are searching by crosscuts at a depth of 500 feet for the ore chute that yielded more than half a million dollars from the upper works.

The New England Dredging Company, which is operating on More creek, has sent a drilling machine to Stanley basin to prospect a group of claims owned by it.

William R. Byrne is getting some exceedingly rich free gold ore out of a claim at the head of Deer creek, located by him a few weeks ago.

The drift run from the bottom of the Washington shaft has cut into a body of ore eight feet wide. The rock is all good milling ore. It is very gratifying that the discovery is made that the ore goes down, as the chute was lost eight years ago when work was suspended, since which time the mine has lain idle—*Anaconda Standard*.

NEVADA.

The sale of the Vina C. group of copper and gold bearing claims at Contact, Nev., for \$30,000 has just been accomplished by Miss B. T. McMasters, the purchaser being Richard J. Boiles of Colorado Springs. He was one of the original owners of the Mollie Gibson mine of Colorado, from which nearly \$5,000,000 in dividends was derived in about three years, and has been one of the most successful miners in that state.

The new mines discovered by T. J. Bell and J. G. Court, south of San Antonio last spring have been bonded for \$100,000 to H. A. Cohen of DeLamar. There are eight men working on the claims and a fine ledge of rich ore has been struck in the tunnel at a depth of 65 feet. Water has been obtained in the well sunk about three miles from the claims, and everything points toward a steady and successful development of the mines.

NEW MEXICO.

The Last Chance mill, near Mogollon has been started again and is running ten stamps upon a good grade of ore from the Last Chance mine. It is reported that ten new stamps and a lot of other new machinery has been ordered for the mill.

On the Confidence mine near Mogollon the work is confined to development which is being done by sinking shaft No. 2, located about 600 feet from the mouth of the main

adit level. This shaft has attained a depth of 100 feet and it is intended to sink it to a depth of 150 feet when concentrations will be made with the main working shaft which is equipped with the big electric hoisting machinery. When the concentrations are made there will be large ore reserves opened up which insure a long mill run. There are several thousands of tons of ore in the bins at the mine and mill now but the management proposes to develop large reserves before starting the mill.

Thomas Curry and George S. Hable have commenced on the old Silver Bar mine near Cooney. They have repaired the pipe line which carries the water into the mill and have put all the machinery in perfect order for commencing working. The mill has been started and is running out rich concentrates. The ore is being mined from a waste 50 feet in depth at a point about 450 feet from the mouth of the main adit level. The ore is rich in gold and silver and the concentrates run high in copper.

A tonnage assay of gold and silver ore carried at \$100 per ton was made from the furnace taken out to the Pan Smelter during the past week. *Los Angeles Herald-Examiner.*

OREGON

The Twin Springs Mining Company of Idaho which owns the Deer Lodge mine at the head of Rock creek about 17 miles west of Baker City will resume shortly after a shut down since last February on account of deep snow.

The Deer Lodge mine is situated on the North Pole and F. A. Road crossing the mountains at the head of Rock creek, and was purchased last year by the Twin Springs Company from Andy Hansen for \$200,000, \$100,000 of which amount was paid down.

Work done last year made a good showing and the Deer Lodge is considered to be one of the big mines of Baker county.

SOUTH DAKOTA.

Mr. J. Morgan and James Rogers of Deadwood are taking out rich copper ore from the mine located within the city limits of Deadwood on the south side. Two shafts have been put down one of them 47 feet. The ore runs as high as 50 per cent copper and the best grade is good enough to ship to the smelter. The mine is located directly on the copper belt.

The best cyaniding ore in the country is thought to be found in the low grade belt at Rigged Top. It is a lime ore and a very high per cent of extraction is given by the process. The ore does not require to be crushed fine chunks as large as a person's hand going through with a high extraction. The ore is porous and the cyanide solution enters freely. The ore in the district is found in the grass roots down to a depth of 1 to 6 feet and it is easily mined.

There is strong talk of erecting cyanide plants in Yellow Creek, Strawberry, Squaw Creek and Portland districts and it is practically been decided to build plants in some of these camps. The process will treat about 50 per cent of the Black Hills ores, and it recognized as the cheapest process, with the possible exception of the stamp mill in use today. Before the close of the season there will be no less than eight cyanide plants in

successful operation in Lawrence county which will have a combined capacity of treating 200 tons of ore per day. One great thing in favor of the process is the cheapness with which a plant can be constructed. Another point in its favor is the small amount of water needed. *Black Hills Mining Review.*

UTAH.

Work is being pushed on the Coes property, Dugway district and fifteen to twenty tons of ore is stacked up now ready for shipment.

At the Buckham Dugway district the working shaft is following down a streak of high grade ore running 50 ounces and over in silver per ton.

On the Nehe Dugway district some very fine upper ore is being mined with increasing quantities and values. Some very fine grade ore which is straight will assay very high in gold in the Sandoz group.

Owing to the overwork of the Highland Box smelter, the tram was unable to be operated the last 35 or 40 tons. The ore is supplying ore faster than the smelter can handle it.

At the Black Warrior the ledge is being crosscut 325 feet from the surface with most gratifying results. The very good looking quartz and iron yielding good assays.

A large force of men are at work on the north and south lines of the Heavenly. The values continue to improve and large bodies of good mining ore are being blocked out.

The Crown Point is looking fine. The tunnel is in good shape. They have stringers of ore cutting in and it looks as if they will break it into bodies of ore at any minute.

WASHINGTON.

The Insurgent

Big news comes from Republic concerning the recent development of the Insurgent. Since the first of July the value of the property has been doubled. The development in following the vein from the Lone Pine side line into the Insurgent tract. The vein runs to the north and is running parallel with the Black Tail vein where the latter crosses through the Insurgent. July 15th, the Spokane office of the company was advised by Superintendent Ryan that the mine showed five feet of ore carrying higher average values than have yet been found at similar depth for so great a distance in the camp.

"It will be remembered," said President Dennis of the Insurgent Company, "that the east drift of the Lone Pine, on one of its cross veins was driven 30 feet beyond the west line of the Insurgent and into the Insurgent ground. The Insurgent company contemplated this drift in an easterly direction for a distance of about 50 feet when about July 1 the vein began turning sharply to the north, just as it approached near to the Black Tail vein which runs in a northerly and southerly direction for a distance of 1000 feet across the Insurgent ground. Instead of intersecting the Black Tail vein as it was supposed the cross vein would do it turned to the north and is now running due parallel with the Black Tail vein both of these veins thus apexing on the Insurgent ground."

The news telephoned by Superintendent

Ryan was to the effect that the drift had been driven for 30 feet following the parallel vein beyond the point where the vein turned and that 150 ft. the entire distance was a clean five feet between clearly defined walls.

SEVEN MONTHS' RESULTS

In the course of the seven months since July 1 eight sample assays of the ore at and near the vein have been taken with the following results:

July 1	Silver \$6.12	gold \$7.21	total \$13.33
July 3	Silver \$12	gold \$6.12	total \$18.12
July 4	Silver \$8.8	gold \$12.53	total \$21.33
July 5	Silver \$8.22	gold \$142.60	total \$150.82
July 6	Silver \$1.2	gold \$40.72	total \$41.92
July 7	Silver \$4.72	gold \$33.07	total \$37.79
July 8	Silver \$7.5	gold \$84.71	total \$92.21
July 11	Silver \$5.52	gold \$103.41	total \$108.93

The average of the eight assays is \$27.22, and each assay is reported by the Superintendant to be an average of five feet of ore.

WISCONSIN.

North Wisconsin Company Merged Into Chippewa Copper Mining Company.

Secretary Woodward has forwarded a copy of a statement of the plan of transfer of the North Wisconsin Mining Company to the reorganized company, the Chippewa Mining Company. It gives all the details of the transfer and holders of stock in the old company will soon receive certificates in the new.

The new company is to pay all the debts of the North Wisconsin Company and the latter is allotted 1,775 shares in the new company. Walter Fowler made the deal, and is authorized according to the statement to issue the vouchers for which stock in the new company will be exchanged as soon as they can be prepared for delivery. The ratio has been decided and Mr. Fowler will make out vouchers at any time. Certificates may be sent to F. A. Woodward at Boston if so desired and the new stock will be sent direct from the Eastern office.

FOREIGN MINING NEWS

CANADA

The most important mining deal that has ever taken place in Ontario has just been closed. The Graham McKellar group of iron properties on the Atkaki range consisting of sixteen locations containing 1,200 acres and covering four and one half miles of the range, has been bonded to Ronald Hunter, representing American capitalists, for \$350,000 for eighteen months, that the parties may test the properties. The sum of \$10,000 was paid in cash for this privilege.

LOWER CALIFORNIA.

It is said, on the authority of Capt. W. M. Freeman of San Diego that negotiations for the sale of four copper mines in Lower California for a half million dollars to Martin White & Co., of London, England have been

going on for some time past and that the deal is expected to be consummated within a few days. The mines are the San Fernando, Peabody, Moromosa and Butler, the first-named belonging to Gen. E. C. Humphreys and Mr. Brophy, the latter of Arizona, and the other three to Capt. W. M. Freeman.

GENERAL NEWS.

Wireless telegraphy will perhaps have its first great test during its holding of the National Export Exposition, to be held in Philadelphia during the fall. No effort will be made to duplicate the Eiffel Tower, but a structure of some kind is being considered that will hold up a copper wire 1000 feet in the air.

It is claimed by Marconi, the inventor of wireless telegraphy, that if this is done by the Exposition people, he will telegraph by flashes of electricity from the top of Eiffel Tower, in Paris. A feat of this kind successfully performed, will be the wonder of the world and worth crossing the ocean from Europe to see.

The Cling-Surface Manufacturing Co., of 167-172 Virginia Street, Buffalo, New York, report rapidly increasing sales, not only in this country but many orders are being received from Australia, European and South American countries, with a fast-growing business in Mexico, all seeming to prove that "The days of tight belts are over" is having the backing of belt users. A recent letter of Brown, Durrell & Co., Boston, voices the general verdict: "Having tried Cling-Surface on my 12" dynamos belt, I have been able to carry full load with 22" sag on belt, with no perceptible slip. It surpasses my expectations and I can cheerfully recommend it to do all that is claimed for it if directions are followed."

ELECTRICITY IN COAL MINING.

By JOHN PRICH AND FRANK P. THOMPSON

The Davis Coal and Coke Company.—The Davis Coal and Coke Company's plant at Thomas, West Virginia, is so efficiently equipped with this compound electric service as to be worthy of a short description. The company operates two miles at Thomas, the Thomas drift and the Davis shaft, and one at Coketown, a drift.

The power station is a roomy brick building containing an Ames 200 hp. engine direct connected to a 150 kw. 500-volt direct-current generator; two Atlas cycloidal heavy duty engines of 150 hp., one of which is belted to a 100 kw. 550-volt three-phase alternator, and the other to a 78 kw. 550-volt direct-current generator. The last mentioned generator has been installed temporarily in the place of a second 100 kw. three-phase 550-volt alternator which has been operated in parallel with the other three-phase alternator. This 75 kw. machine is used to help the haulage generator.

The coal is hauled by horses from the "rooms" to convenient points where it is collected into "trips" of from six to twelve "wagons." The inside haulage motor, a 14 ton G. E. T. M. 35, takes these "trips" and hauls them to a central point of the breast and there they are combined into larger "trips" of about 15 to 35 wagons and hauled to the mouth of the mine by another similar motor. Each of the haulage motors gives

3,500 lbs. draw-bar pull. At Coketown, two miles away, another 14-ton haulage motor is installed.

The alternating three-phase generator is used for operating three 10 hp. induction motors for driving small pumps, one 5 hp., one 10 hp., two 20 hp., and one 30 hp. induction motors for operating elevators; one 5 hp. induction motor for a car lift, and three G. E. chain coal cutters. The induction motors for driving the pumps are located at the foot of the side entrance both at Thomas and Coketown. One 10 hp. induction motor connected to a pump having a 5 inch suction 250 feet long, and a 4-inch discharge pipe, 750 feet long, with a total elevation of 98 feet, pumping 106 gallons per minute, was tested and found to take 11,000 watts. Induction motors are also used for driving fans and conveyors which carry the slack coal from beneath the screens to the bins, which is stored until needed to charge the coke ovens.

Haulage.—Electric haulage equipments have been so long in use as to be now in a thoroughly good state of development. Even yet, however, the following faults may be observed in some of the machinery: Poorly acting brakes, unwieldy arrangements of the various controlling levers and trolley poles, brake rods or other projections too close to the track, and unsatisfactory speed and power regulation. Although some of these seem of small importance, any one of them is apt to seriously interfere with efficient work. The brakes on a mining locomotive should be very powerful and quick-acting, likewise the arrangement of the motorman's seat, brake-handle, controller and sand-box lever should be such that the motorman can control his machine with the greatest possible dispatch and ease. Locomotives have been placed in mines with absolutely no provision for the motorman, and others where the lever arrangements are so unwieldy as to make the quick control necessary to safe operation impossible.

In large coal operations economy is often to a large extent dependent upon the rapidity with which the wagon trains can be moved. Heavy grades both in favor of and against the load are frequently to be found. In order to draw a large load and make quick time, the design and control of the motor should be such as to give an unusually great draw-bar pull at low speed, and at the same time have points of comparatively high speed. This condition is not properly met at present by all of the mining locomotives in operation. In one mine, which has come recently under the writer's observation, a slightly different design and arrangement of control in the locomotive would permit the handling of much larger loads at a great saving.

The power-house load curves of haulage are very similar to those of other electric railway work.

Coal Cutting.—Under suitable conditions, under-cut coal cutters will permit a great saving of labor, and therefore of expense, in soft coal mining. But in a large number of cases such cutters have been thrown out as unsatisfactory, and have been replaced by compressed air drills or other apparatus. In mines where curve veins abound, they have ordinarily given much trouble. The cutter strikes the clay vein and sticks, or, worse, bends, causing it to wedge tightly. This necessitates digging out with the pickaxe and expensive repairs. The most serious difficulty seems to arise from poor mechanical design and construction, combined sometimes with electrical faults. It should be possible

to overcome these difficulties. In one mine where great trouble of this nature was previously experienced a new set of machines is now giving great satisfaction.

In cases where under-cutters cannot be made to work, there seems no valid reason why electric drills could not be substituted, which would give as good service as compressed air, while at the same time preserving the valuable advantage of an all electrical plant.

Electric Pumps.—Electric pumps run by induction motors give very satisfactory service. The conditions met with in mining often necessitate frequent re-location of the pumps, and in this respect the electric pump is by far the most satisfactory. The attention required is certainly a minimum. A particular pump tested ran about ten hours per day, and the only attention required was that necessary for starting, stopping and lubrication. Some mine owners have objected seriously to the electric pumps. In most cases these objections have been due to the compact arrangement of the pump and motor. In one pump which came under our observation, a 10 hp. pump, which was bought with the motor, was replaced by the water end of a steam pump with a great improvement in the service. If electric motors were made to suit the pumps, and not the pumps to suit the motors, it would go far toward obviating the most serious objections. When the pump must be of large capacity, and when it can be located within a reasonable distance of the steam plant, a steam pump would probably show greater economy.

Wiring and Pressure.—Wiring in mines is subject to certain restrictions which do not apply in ordinary wiring. There is no doubt that the 550 volts used for haulage is dangerous for horses. It is therefore customary in many mines to shut off the trolley current while mules are being taken in or out of the mines. If a polyphase system is installed for operating cutters, pumps, etc., in the mine, it should be run through the air courses and not through the main gangway. A pressure of 550 volts alternating is much more dangerous than the same direct current pressure. The class of labor which is usually employed in the soft coal fields is of a low grade of intelligence, and many instances are recorded of serious personal injury or loss of life from accidental or intentional contact with the wires on both 500 volt A. C. and D. C. service. Although the mine laborers may have been repeatedly warned of the danger, they continue careless about the wires. When the mine roof is low enough to be reached by the men, the common practice is to run trolley wire along one side, supported by the usual hangers. When feeders are necessary, they should be run along the same side. The other side of the roof should be kept clear.

Ordinary bare wire is preferable in mine work. The best insulation, rubber compounds, deteriorate rapidly under the action of the sulphur water. Any other insulation soon becomes inefficient, owing to the moisture which is always present in a mine.

In large operations such as those at Windber, where 20 miles of trolley are already in service, it is undoubtedly advisable to use at least 500 volts pressure for haulage. The polyphase power should preferably be used at a lower pressure for the sake of safety to employees. This could often be done, without an undue expenditure of copper, by carrying high-pressure lines overhead to air ducts, or through unused passages to suitable points for distribution, where the pressure could be

lowered by transformers. When it is necessary to run wires down a shaft through which coal is to be hoisted, the best practice would be either to use lead covered cable, or wire which has been insulated with rubber, heavily braided, and drawn into an iron conduit having the ends hermetically sealed. In many instances when wires have been installed without such protection, in old shafts, trouble has resulted from the breaking of the wires, caused by lumps of coal falling down the shafts etc.

Skilled Employees.—Too much pains cannot be taken to employ careful men as motormen for the haulage motors. The mine track is far from being up to the street railway standard. To haul a long trip of wagons over a bad track requires careful handling of the motor. The motorman should be trained to study his track and his load, and know when and where to let his trip run slack and where to keep the couplings taut. A case came under the writer's observation where a careful motorman handled a trip of 15 loaded wagons, while another motorman stalled with 10 wagons on the same stretch of track. This matter is very important from the mine owners' point of view. The cost of driving gangways and shafts is considerable, and any method which will allow of an increase in the quantity of coal which can be taken from a single opening in a given time adds very materially to the mine owners' profits.

Lighting and Signals.—As the lighting of a mine is a comparatively simple matter, it is scarcely necessary to consider it here. The universal method is to light up all switch points, and only other places of exceptional importance. In large mines using a number of locomotives, an efficient system of signals should be used in the main headings. This should be an automatic block system. Mr. A. A. S. McAlister of Windber, Penn., has worked out such a system, using incandescent lamps between trolley and rails, which is working admirably.

Efficiency.—The question of efficiency, from a fuel standpoint, is of comparatively small relative value, as the difference in actual cost in fuel in the different systems is insignificant when compared with other expenses. Data available seem to indicate, however, that the all-electric systems lead in this respect. As regards the total commercial efficiency, including maintenance, labor, interest and depreciation, there can be no doubt but that the compound electrical system, using polyphase and direct currents, will give the best results.

General.—The data and statements presented in this short paper are gathered from personal experience in the mines, from mine superintendents, and from student thesis work carried on under the supervision of the Pennsylvania State College. In writing the paper it was not intended to give a complete detailed treatise on the use of electricity in mines, but to outline the most important conditions and facts bearing upon such utilizations.

THE SELF-COOLING CONDENSER.

(BY THOMAS L. WILKINSON.)

The idea of the condenser was to apply currents of air to the heated discharge water of the condenser, and so, in this cooling process, the air became the means of condensation instead of the water, as usually employed. For this purpose a chamber was built of wood, in such a way that the discharge from the condenser should cover large surfaces, allowing ample contact with the current of air supplied by an exhaust fan.

As the water in a heated state flows over the surfaces, the air absorbs the heat of the water, and so evaporation takes place quickly. In these experiments, the cooled water required, was practically equal to the amount of feed water required for the boilers. Here was a saving of twenty five times the amount of water usually required for condensing purposes. This was the first of the trials which showed that a pound of water condensed a pound of steam. An approximate analysis of the transfer of heat in these experiments, with table of results, are as follows:

TABLE OF AVERAGE RESULTS

Boiler pressure in lbs. per sq. in. per gauge	85
Temperature of air entering condenser	71
Temperature of water entering condenser	110
Water in pans above diaphragm	110
Water in pans below diaphragm	110
Working strokes of air pump	70
Rev. of exhaust fan per minute	710
Volume of air in feet per minute	2,000
Volume of air moved in cu. ft. per min.	2,000
H. P. expended in driving fan	2.5
Barometer in inches	29.8
Cooling water used per hour in lbs.	12.0
Steam condensed per hour in lbs.	12.0
Vacuum in inches of mercury	29.8
Vacuum reduced to Barometer at 30	29.8

APPROXIMATE ANALYSIS

Heat in 1 lb. steam at 311	1208.3 B. T. U.
Heat in 1 lb. water at 14	149
Heat rejected by 1 lb. steam—1208.3—149	1059.3
Of each pound of water evaporated in condenser probably 5.7 is at 140° and 2.7 at 115°.	
Heat absorbed by 5.7 lbs. of water in being warmed from 60° to 140°=57.1.	
Heat of vaporization of 5.7 lbs.=725.5.	
Heat absorbed by 2.7 lbs. water in being warmed from 60° to 115°=15.17.	
Heat of vaporization of 2.7 lbs.=299.7	
Total heat absorbed by 1 lb. water=57.1+299.7=356.8	

Thus showing the cooling water to be practically equal to the steam used by the engine. These tests showed that the application of methods of this or similar kind to be very economical and at a very small cost.

The floor space required for the cooling apparatus was small.

Enough was shown by these experiments that this method of cooling was commercially practicable. Two companies have gone into it, and many power and electric light plants are now using the self-cooling condenser. See our issue of July 1st.

The apparatus consists of two parts—the condenser—jet or surface—and the cooling tower.

The cooling tower is now made of sheet iron or boiler plate, and cylindrical in form.

The size of the condenser and tower depends on the size of the plant it is operated with.

The upper three fourths of the tower is filled with cylindrical tiling, 3 to 6 inches in diameter, and from 12 to 24 inches long. The tiling is so arranged that the water running down will cover all the exposed surface. At the bottom of the tower is a tank or well to collect the falling water. At the bottom and side of the tank is a fan which blows air up through the tower and tiling.

The exhaust from the engine passes into the condenser, where, mingling with the injection water, it is condensed. This condensed steam and injection water then enters the tower, at the side and above the fan, and passes up through a central pipe, to a revolving distributor, near the top of the tank, just

above the tiling. This distributor is mounted on ball bearings, and has four arms of piping, perforated, and swings or revolves in a manner similar to a lawn sprinkler. So the distributor revolves, by the reaction of the jets of water which fall on the tiling and are uniformly distributed. As the heated water runs down through the tiling the fan is blowing air up through the tower, and depriving the water of its heat and evaporating some.

Three factors enter into the cooling of the water

I. Radiation from the sides of the tower
II. Contact of the cool air blown through the tower

III. Evaporation.
Evaporation is the most important of the three, as the evaporation of one pound of water in this way carries off 1,000 heat units, and condenses one pound of steam in the condenser.

Considerable cooling is done by radiation and contact of the cool air blown through the tower, so that the evaporation will be less than the amount of steam condensed in the condenser, and so the supply of extra water is not needed.

The cooled water is collected at the bottom of the tower, and ready once more to serve as injection water to the condenser. An overflow pipe is provided to carry off oil that collects.

The floor space occupied by the tower is not excessive. A 1,000 horse-power plant will require a tower 17 feet in diameter by 30 feet high. The collecting tank at the bottom of the tower is about 8 feet in diameter by 7 feet deep, and holds about 2,000 gallons of water, which is sufficient to start the plant.

The power to run the fan will be 2 per cent and under of the power of the engine, and may be operated by electricity, shaft and belting, or a small independent steam engine, as may be most desirable.

In some experiments made by Mr. Alberger, the temperature of the cooled water, observed under different ranges of temperature of the air are as follows:

Temp. of Air	Aver. Temp. of Cooled Water.	Difference between Air and Cooled Water.
20° F.	45° F.	25° F.
30	50	20
40	56	16
50	62	12
60	70	10
70	78	8
80	87	7
90	97	7
95	100	5

It will be noticed that, as the temperature of the air increases, the temperature of the cooled water becomes nearer that of the former. With the temperature at 20 degrees Fahr. there is a difference of 25 degrees, and at 95 degrees Fahr., the difference is only 5 degrees, when circulating practically the same volume of air, and carrying off the same amount of heat, the circulation of the water having been reduced as the temperature is lowered. This shows plainly the activeness of the evaporation at the higher temperatures, when the air has a largely increased capacity for moisture.

In this high altitude, (Colorado) where the air is almost always very dry, its capacity for absorbing moisture is extremely large. The result would indicate a better showing than indicated by the above table.

Of a large plant, in which this system of using the water over and over again has been in constant use since 1895, some figures will be of interest.

The cooling tower was placed in the yard

back of the plant about 60 feet from the condenser. Combs and engines with a total of 750 H. P. were employed and during the hot months a maximum of 2 and 26 inches was easily maintained. The cooling tower is 16 feet in diameter by 34 feet high. The circulating water amounts to 1,000 gallons per minute and the circulation is about one cubic foot of water per minute. The whole system cools is about 25,000 gallons of water. The temperature of the sink water runs 50 to 75° F. The water to be distributed in the cooling tower comes in at 110 to 115° F.

I have worked up some data given by Mr. Allgeier in reference to this system employed by an electrical manufacturing concern.

The engine is a cross compound Hartz-Corless layout, a 22-in. high pressure steam cylinder and a 36-in. low pressure steam cylinder making 1,000 r.p.m. per minute with 100 pounds per square

The organ turning round and singing gave
the cards showing the following:

The brake power of the high pressure cylinder was 109.6 m. and of the low pressure cylinder was 63.4 giving a total of 173.2 H.P. when running on air condensing.

The average mean effective pressure of the high pressure cylinder was 36 pounds, and that of the low pressure cylinder was 9.75 pounds.

In 1915 this engine was changed from running non-condensing to condensing. A condenser was put in, and the cooling tower was placed some 100 feet from the condenser, the circulating water being run by an extension of the shafting from the factory. The speed of the fan could be regulated to suit the conditions of the weather or could be stopped at any time.

In running non-condensing the steam was admitted for 18 inches of the stroke while condensing it was admitted but 9 inches, showing a saving of 6 inches or a saving of 40 per cent roughly. Cylinder condensation was slight & increased or decreased terminal pressure from 20 to 25 pounds.

The fan consumed about 2 per cent of the power under the most severe conditions. The air pump consumed 3.7 H. P. or less than 3 per cent of the total H. P. of the main engine. The total of 3 per cent, subtracted from the gross saving, leaves 35 per cent or an extremely good showing for compensation by this system.

Cards taken while the engine was running non condensing show that the high pressure cylinder developed 115.25 indicated horse power and the low pressure cylinder 22.1 indicated horse power or a total of 137.38 or 175.1 indicated horse power not condensing.

In both cases the engine aside from condensing was operated under the same conditions of pressure and speed.

The difference, then, of 20.8 horse power, in favor of combining, shows an advantage of nearly 1 per cent in power. As the number of cards fitted was limited and more and better cards might have shown an even better percentage of gain by this condensing system, but 12 per cent would, in my judgment, warrant the introduction of this condensing system.

The gain of 15 per cent net, as shown by Mr. Alburger, relates of course to the steam saving, while the 12 per cent saving in power, as shown by my figures results in more power on less steam.

Mr. J. H. Vahl, Engineer in Chief of the Penn. Light, Heat & Power Co., of Philadel.

ph in his paper on Cooling Tower and Condenser Installation describes the installation of this system of condensation.

The plant in question is equipped with 57 bunkers each 8' in diameter and 20 feet long with twenty two 3" in bore. The storage capacity of the plant in the station, fixed all the bunkers to the limit of their steaming capacity.

Latest Mining Decisions.

Prepared by Andrews & Murdoch Berrien Springs Mich

A temporary injunction against the removal of iron from the Long Island of copper mine will not be issued because of defendant's solvency. Matell Mfg. Co. vs. Pearson Coal and Iron Co., 55 S. Rep. (Ala.) 754.

A mine owner is liable for the death of an employee caused by the superintendent's failure to do a rat die diligence regarding him, because he was acting under excitement. *B. S. Smith Lead and Improvement Co. vs. Campbell*, 25 S. Rep. (Ala.) 35.

A mine superintendent will be presumed to have authority to purchase all appliances necessary to extinguish a fire to save the life of an employee in the absence of evidence to the contrary. *Bessemer Land and Improvement Co. vs. Campbell*, 23 So. Rep. (Ala.) 743.

An employer's failure to use due diligence in rescuing an employee who in a mine in which a fire is started is not excused by his acting pursuant to the unanimous opinion of other operators. *Bessener Land and Improvement Co. vs. Campbell* 25 So. Rep. Ala. 73

An employee placed in imminent peril is not guilty of contributory negligence precluding a recovery for his employers' negligently causing his death by mistakenly failing to avail himself of a means of escape, where he acted as a man of ordinary care would have done under the circumstances. *Hessner Laid and Improvement Co vs Campbell*, 28 So 2d 911, 146 Ala 713.

In an action for causing an employee's death by suffocation in a mine, an allegation that the superintendent negligently failed to take due and proper precautions to prevent a fire from causing the suffocation is a sufficient allegation of negligence as an averment of specific negligence is not required. *Bessemer Land and Improvement Co. v. Campbell* 25 So. Rep. Ala. 775.

Where a fire is raging in the middle of a mine while an employee is below the fire it is the mine owner's duty to telegraph to a distant city and hire a special train to obtain appliances with which to extinguish the fire if such is the only means of saving the employee's life as the rule of diligence when life is at stake requires the doing of everything that gives reasonable promise of its preservation, regardless of difficulties and expense. *Bessemer Land and Improvement Co. vs. Campbell*, 25 So. Rep. (Ala.) 793.

In an action for causing the death of a mine employe through the employer's failure to extinguish a fire by water while the em

plant was 300 feet below the fire, so large that several men were commonly employed to carry coal down 4 or 8 runways, and to show the feasibility of getting water brought to the fire. I did still expect that though I might be refused that of men taken up, I might expect that he might before the employees were taken up, I did not. In conversation with Campbell, 25, 80, Rep. (A. S. 79).

In an action for causing the suffering of an employee who perished because of a mine fire, testimony that the fire broke out on a slope and that near the fire was coal is sufficient to implicate the defendant as a coal owner, until the employer could have procured appliances for extinguishing the fire with water. *Holt*, that a witness testimony that it was established that the fire broke out near a vein of coal, and the testimony of the superintendent that at the time he braced up the mine it was a faulting, he could have endeavored to save the employee, were properly rejected as being more conclusions. *Essemer Land and Improvement Co. vs. Campbell*, 1890 Rep Ala 73.

A fire originated in the middle of a main air shaft and smoke rose from the air shaft. A short time thereafter men passed up a slope parallel with the air shaft without much difficulty with smoke, and they reached a point opposite the fire. There were no appliances at hand for extinguishing the fire by water, but they could have been obtained in a few days by telegraphing. One at the bottom of the mine 40 feet below the fire could have lived several days while the fire was raging. It did originate in the air shaft and had quickly penetrated to the slope and the air shaft was large enough to carry the smoke and gases as rapidly as they were generated. The mine superintendent smothered the fire by scaling up the air shaft and slope and an employee who was below the fire was suffocated. Held a question for the jury whether the superintendent was guilty of negligence justifying a recovery. *Bessmer L. and Improvement Company vs Campbell*, 28 So. Rep. Ala. 703.

PERSONAL NEWS ITEMS

THE MAXIMUM TIME FOR A SUBSEQUENT
 IN THE ALGORITHM SOURCE MAXIMUM
 FOR THE PROBLEM OF THE SUBSEQUENT
 IN THE ALGORITHM SOURCE MAXIMUM
 FOR THE PROBLEM OF THE SUBSEQUENT

THE UNIVERSITY OF CHICAGO PRESS

R. H. Loomis, *Manager, Southern*, said that a cable letter had been received from the hotel and from the government of the Northern States of China, asking that the Southern Railway Company should place a few of these bridges in position.

I have visited Alto San Juan, Mex. have collected 18000 ft property in the vicinity of the road to the

Las Vegas has been a popular spot for clear-
d the Moon on some under the rainbow

Wm. M. ... of ... New York ... for the ... of the ...

March 1 E. JACKSON who is now now on his
back again, is with him. He has some time and
R. H. C. at San Francisco. He has recently
been appointed manager of the Mexican Ore Co.,
which has interests in Mexico.

W. H. Heston and E. T. Sponsberg + Corolla
P. as Oregon recently let that place as a business
trip to the Carolinas

EARL DELEMAN and JOHN HAYS HAMMOND are expected to call tomorrow next week.

The Mining And Metallurgical Journal

THE MARKETS.

All quotations, financial reports and other information are given in this Journal. All quotations are in U. S. dollars unless otherwise stated. All prices are for cash unless otherwise stated. All prices are for New York unless otherwise stated. All prices are for the month of July unless otherwise stated.

New York, July 29th, 1899.
The following are the Silver, Copper and Lead quotations for the last two weeks:

	SILVER.	COPPER.	LEAD.
July 12	60 1/2	18 50	4 35
" 18	60 1/2	18 50	4 35
" 20	60 1/2	18 50	4 35
" 21	60 1/2	18 50	4 35
" 22	60 1/2	18 50	4 35
" 23	60 1/2	18 50	4 35
" 24	60 1/2	18 50	4 35
" 25	60 1/2	18 50	4 35
" 26	60 1/2	18 50	4 35
" 27	60 1/2	18 50	4 35
" 28	60 1/2	18 50	4 35
" 29	60 1/2	18 50	4 35

SILVER

The silver market has ruled dull, but the reports of the shutting down of the Colorado smelter, on account of the labor strikes, silver closes higher and stronger, and the possibility of increased supplies may affect the London market.

COPPER

The copper market continues quiet. The buyers are covered and not inclined to purchase, while no pressure to sell is observable. Lake copper is offered at 18c, but a few transactions are reported at 17 1/2c. Very little is doing in electrolytic copper. The quotation is still 16 1/2c. for cables, wire bars or ingots, and 16 1/4c. for cathodes while casting copper in nominal at 16 1/4c. and 16 1/2c.

There is an accumulation of stock in New York City, and the market is unchanged, Spanish lead being quoted at £14 3s 9d to £14 5s and English at £14 5s 6d.

SP. LEAD

Further Spelter is quoted at 6c. New York and 6 1/2c. St. Louis. London is 10 1/2c. being posted at 7 1/2c. spot.

ANTIMONY

Antimony continues in good demand with prices unchanged at 10 1/2c. for Jackson's, 10c. for Hallett's and 9 1/2c. for Star and Hungarian.

NICKEL

Nickel continues unchanged and no alteration of prices can be reported. We quote for ton lots \$30 3/4c. per lb., and for smaller orders \$31 1/4c. per lb. London prices are 14 1/2c. per lb., according to size of order.

TIN

The market has moved but sluggishly, and prices have changed little. The London market is quoted in closing at £118 12s 6d. @ £119 16s. for spot and 17s. 6d. higher for three months. New York is quoted at 11 1/2c.

PLATINUM

The demand for Platinum is active and prices continue high. We quote for New York \$15 50 per ounce for large lots and \$16 1/2c. for small orders; London is 62 1/2s. and ounce.

POTASSIUM CYANIDE

Purified, 98% per cent., in cases of 120 lb. at 30c. per lb. in 5, 10, 25 and 50 lb. tins at an advance.

QUICKSILVER

The New York quotation remains \$42.

per bush. The London price has advanced to 48 1/2s. with 48 1/4s. quoted for second hands.

POWDER.

F. O. B., San Francisco No. 1, 70 per cent. nitro-glycerine per lb. in earload lots, 15 1/4c. less than one ton, 17 1/2c. Black blasting powder in earload lots minimum car, 72 1/2 kegs, \$1 50 per keg less ear lots, \$2 per keg.

COKE.

There has been a quiet trade in coke with a slight improvement reported.

IN CAR LOTS, ST. LOUIS.

Connellsville fly coke 72-hr. free... \$4 70
New River, \$4 00 Pocahontas... 3 50
Crushed... 4 70
Gas works coke, lump, per bushel... 10

BORAX.

The San Francisco market in Borax is firm with a good demand, powdered refined in ear lots 7 1/4c.

THE MINOR METALS.

Quotations are given below for New York delivery:

Aluminum No. 1, 99 per cent. ingots, per lb. 35 1/2c.
No. 2, 98 1/2 per cent. 30 1/2c.
Al. sheets, per lb. 30c.
Al. alloy, Nickel per lb. 1 1/2c.
Al. alloy, Bronze per lb. 1 1/2c.
Al. alloy, Steel per lb. 1 1/2c.
Al. alloy, Copper per lb. 1 1/2c.
Al. alloy, Lead per lb. 1 1/2c.
Al. alloy, Zinc per lb. 1 1/2c.
Al. alloy, Tin per lb. 1 1/2c.
Al. alloy, Iron per lb. 1 1/2c.
Al. alloy, Nickel per lb. 1 1/2c.
Al. alloy, Bronze per lb. 1 1/2c.
Al. alloy, Steel per lb. 1 1/2c.
Al. alloy, Copper per lb. 1 1/2c.
Al. alloy, Lead per lb. 1 1/2c.
Al. alloy, Zinc per lb. 1 1/2c.
Al. alloy, Tin per lb. 1 1/2c.
Al. alloy, Iron per lb. 1 1/2c.

CHEMICALS

The market is bare of domestic goods, while for foreign alkali the demand is slow, owing to the high price.

Caustic soda is quoted for high test, per 100 lbs., F. O. B., works \$1 1/2c. \$1 45 New York \$1 68 @ \$1 65. Foreign high test is quoted in New York at \$1 10.

to \$1 70. Jobbers have made sales of domestic alkali around 95c. per 100 lbs. We quote domestic alkali in bags, per 100 lbs., F. O. B., works, at 82 1/2c. @ 85c. In New York 80c. @ 85c. Foreign quoted in New York at 75c. @ 80c., per 100 lbs.

Sulphur is quoted at 80c. per 100 lbs., works 80c. @ 82 1/2c. is offered in New York for foreign. Bicarbonate of soda is quoted at \$1 12 1/2 @ \$1 25, and for extra \$2 25 @ \$3 50 per 100 lbs., works with \$2 12 1/2 @ \$2 25 offered for foreign. Chlorate of potash, we quote for crystals, domestic \$4 00 @ \$4 25, and for powdered \$3 50 @ \$3 75. Foreign chlorate of potash is quoted in New York, for crystals, \$3 25 @ \$3 50, and for powdered \$10 00 @ \$10 25.

Chloride of lime, English prime brands \$1 60 @ \$1 70 American, \$1 70 @ \$1 80, Continental P \$1 50 @ \$1 60 per 100 lbs.

ACIDS

Sulphuric acid is in better request owing to the warm weather, but blue vitriol is quiet. The other acids are featureless.

BRIMSTONE

Brimstone is quiet, with no arrivals. We quote for spot, best unrefined seconds \$21 75 @ \$22 00 per ton, shipment, \$20 50 @ \$20 75. Best thirds are about \$2 less per ton.

NITRATE OF SODA

Spot is quoted firmer at \$1 82 1/2 @ \$1 65 per 100 lbs. and futures at \$1 80. Consumers, however, anticipate a lower market, as the quiet season is at hand but the importers are of a different opinion and do not seem anxious to sell. Futures at present 18,000 bags are in a due in New York.

"THE DAYS OF TIGHT BELTS ARE OVER"

CLING-SURFACE

did it

ALL BELTS WILL TRANSMIT GREATER POWER AND RUN PERMANENTLY LIKE THIS WITH POSITIVELY NO SLIPPING NO HOT BOXES NO TAKING UP NECESSARY.

BELTS ARE SOFT, PLIABLE AND ABSOLUTELY WATER-PROOF WHEN FILLED WITH

CLING-SURFACE.

SEND TO US FOR TESTS BY PROF. CARPENTER OF CORNELL UNIVERSITY.

CLING-SURFACE MFG. CO. 167-172 VIRGINIA ST. BUFFALO, N.Y.

A Practical Test ...

We asked a man the other day what he thought of our pumps.

"Well," said he, "I've used this pump for twenty years, and it's better than most pumps yet."

The best material, workmanship and patented construction—that's why our pumps wear.

Are you going to buy—Write us for full information and catalogue. All free for the asking.

W. T. GARRATT & CO.,
Pump, Bell, Brass and Machine Works,
128-142 Fremont St., San Francisco, Cal.

Send for Sample Copy of the

Mining and Metallurgical Journal

The Only Exclusive Mining Publication in the West



The Pulsometer Steam Pump

"THE MINER'S FRIEND" Over 28,000 In Use

Often Imitated—Never Equaled

RECENT IMPORTANT IMPROVEMENTS

The Simplest, Safest and Most Efficient Steam Pump for General Mining, Quarrying, Railroad Irrigation, Drainage, Coal Washing, Tank Filling and for Pumping Back Liquors heavily impregnated with sediment. Muddy or gritty liquids handled without injury to the Pump.

AGENTS

Park & Lacy Co., A. M. HOLTER Bldg. Co., MITCHELL-STAYNER & LEWIS Co.,
San Francisco, Cal. Helena, Mont. Portland, Oregon

CATALOGUE ON APPLICATION
CORRESPONDENCE SOLICITED

Pulsometer Steam Pump Co.

168 Greenwich Street, New York City

FINANCIAL NOTES.

Average Prices of Metals

In New York per 100 lbs. from January 1st, 1899:

Month	Copper	Tin	Lead	Spelter
January	11.75	22.45	4.15	5.35
February	11.50	22.30	4.40	5.20
March	11.50	22.30	4.40	5.20
April	11.50	22.30	4.40	5.20
May	11.50	22.30	4.40	5.20
June	11.50	22.30	4.40	5.20
July	11.50	22.30	4.40	5.20
August	11.50	22.30	4.40	5.20
September	11.50	22.30	4.40	5.20
October	11.50	22.30	4.40	5.20
November	11.50	22.30	4.40	5.20
December	11.50	22.30	4.40	5.20

Average Monthly Prices of Silver.

In New York per ounce Troy, from January 1st, 1899, and for the years 1898 and 1897.

Month	1899	1898	1897
January	12.15	12.15	12.15
February	12.15	12.15	12.15
March	12.15	12.15	12.15
April	12.15	12.15	12.15
May	12.15	12.15	12.15
June	12.15	12.15	12.15
July	12.15	12.15	12.15
August	12.15	12.15	12.15
September	12.15	12.15	12.15
October	12.15	12.15	12.15
November	12.15	12.15	12.15
December	12.15	12.15	12.15
Year	12.15	12.15	12.15

Comparative statement of the circulation in the United States on June 1st 1899. Comparison being made with statement on May 1st, 1899.

	June 1.	Changes.
Gold	\$74,393,127	1. \$21,304,735
Silver	131,479,197	D. 338,325
Legal Tenders	111,093,434	D. 961,581
Treas. 5% U. S. Notes	1,172,470	D. 1,172,470
Totals	\$1,500,076,178	1. \$20,977,549

Gold and Silver certificates and currency are not included in this table. By adding the amounts given in this table with those in the following will give the total amount coined or issued. The

figures herewith are furnished by the Bureau of Statistics Treasury Department.

Comparative statement of changes of money in United States Treasury during June 1st 1899, comparison being made with statement, on May 1st, 1899

	June 1.	Changes.
Gold	\$192,490,000	D. 1,800,000
Silver	13,984,000	D. 1,000,000
U. S. Notes	4,057,000	D. 1,000,000
Totals	\$210,431,000	D. 3,800,000

The Gold and Silver bullion on hand in the Treasury is not included in this statement

Gold and Silver Exports and Imports

At all United States ports, for the month of May, 1899, and eleven months ending May, 1898, and 1899

	May	11 months ending May
Gold Exports	\$1,100,000	\$1,100,000
Gold Imports	\$1,100,000	\$1,100,000
Silver Exports	\$1,100,000	\$1,100,000
Silver Imports	\$1,100,000	\$1,100,000
Excess	\$1,100,000	\$1,100,000

ELEVEN MONTHS ENDING MAY

	1898	1899
Gold Exports	\$15,000,000	\$15,000,000
Gold Imports	\$15,000,000	\$15,000,000
Silver Exports	\$15,000,000	\$15,000,000
Silver Imports	\$15,000,000	\$15,000,000
Excess	\$15,000,000	\$15,000,000

This statement includes the exports and imports at all United States ports, the figures being furnished by the Bureau of Statistics of the Treasury Department.

WANTS

Advertisements of this class containing not more than five lines will be inserted for not exceeding three months, at a rate of one cent per line per day. Advertisements not accepted for less than one month.

CONTR. MINR. State full particulars in regard to development work location, distance from water, price of fuel, character of ore and returns from shipments. Must have at least 1500 feet of development work. Send all information possible. Address,

JAMES HOWARD,
Care JOURNAL Office,
150 Nassau St., New York, N. Y.

GOLD mine anywhere in United States, must have at least 1000 feet of development; where coal is not over \$6.00 per ton or wood \$4.00 per cord delivered; plenty of water; no objection to low grade ore if profit can be made by having large plant to amalgamate and concentrate; want 6 months working bond; no property considered unless owners are prepared to deposit a certified check for expenses of engineer if property is not as represented. Address with price and full particulars

J. E. M., Journal Office,
150 Nassau Street, New York, N. Y.

METALLURGIST and Chemist, ten years experience, assaying, ore buying and smelting, at present engaged with large pyritic smelting company in Mexico, desires engagement in the States or British Columbia. Address: "W. H. C." JOURNAL Office.

NOTICE TO STEAM USERS.

The National Association of Stationary Engineers is prepared to furnish Engineers of guaranteed ability for any plant in the city or elsewhere. Give us a call. Address: J. T. CHAMBERS, Sec'y,
Engine Room City Hall
Tel. Main 607. Los Angeles, Cal.

METALLURGIST and experienced Assayer and Chemist with practical experience in the assay and smelting of all ores and minerals. Speaks Spanish, highest references, address "Globe", JOURNAL Office.

EXPERIENCED man desires position who can install, run and keep in repair, electrical and mining machinery. Has knowledge of assaying and office work. He can be reached at

W. H. K., McCLOUD, CAL.

FOR SALE

A GROUP of 4 Copper claims in Northern Arizona, by-product of gold and silver, recently discovered and show great promise will sell at a great bargain.

P. H. J. BARNES & CO.
DOWNEY, ARIZ.

TRIMAIN Two Stamp Steam Mill at Tucson, Arizona, 15-H P. Under Pump and every thing complete, set up ready for work. In excellent condition. Can run 18 months. Address: DUNDOON MINING MACHINERY CO., Kaibab City, Mo.

ANTIMONY **BISMUTH**
PROSPECTORS having locations of this nature and wishing to sell at once for cash, will do well to address with full particulars, P. O. Box 2078, SAN FRANCISCO, CAL.

A VERY valuable, extensive Lead Mining Property in Southwest Virginia. Shafts sunk over 200 feet and actual work has demonstrated richness of veins and purity of ore. Address: GEORGE PRANKER, Baltimore, Md.

FOR SALE AT A BARGAIN.

A 60-TON copper smelting plant, consisting of two 30-ton furnaces, one of which has new, seamless liner. Plant is complete in every detail. Also an 8-ton Silver-Lead Furnace, entirely new, never having been set up. All of the above located immediately adjacent to railroad. Inquire of GARDINER, WORTHEN & CO., dealers in Mining and Mill Supplies, Tucson, A. T.

The Cleveland Mining and Stock Exchange Co.

New England Building, Cleveland, Ohio.

A Reliable Information Bureau for Miners and Investors to obtain FACTS Regarding Capital and Mines. Stocks and Mines listed. Send for prospectus

Morgan-Watson Mining and Construction Co.

800-810 New England Building, Cleveland, Ohio

MINES AND STOCKS { We Buy, Sell, Lease and Bond Mines of all kinds
We Buy, Sell, and negotiate sales of mining and other stocks.
We furnish machinery to work good mines under special arrangement
We furnish Capital to develop mines.

JAMES IRVING & CO.

REFINERS

ASSAYERS

Largest and most complete establishment in Southern California. Cyanide and Mill Test.



Must Prices paid for Gold and Silver Bullion. Returns made within four hours after receipt.

128 N. Main Street (Old Location.) Los Angeles, Cal.

ALL THE MINING CAMPS OF UTAH AND COLORADO ARE LOCATED ON OR REACHED BY

The Rio Grande Western Ry.

THE SHORTEST, QUICKEST AND MOST DIRECT ROUTE TO

MERCUR AND CRIPPLE CREEK

MERCUR.

The Johannesburg of America, New and Wonderful Camp only 45 miles from Salt Lake City, Utah.

CRIPPLE CREEK:

The Greatest Gold Camp in the World, only six years old and two hundred shipping mines in the district.

P. A. MADOLICH,

GENERAL PASSENGER AGENT,

Salt Lake City, Utah

ORE TESTING

Complete mill for testing ores on practical scale by all processes to determine the best process adapted to treating any ore submitted. Processes in use investigated to overcome unnecessary losses, etc.

RICKETTS & BANKS,

Metallurgists & Chemists

No. 104 JOHN STREET,

NEW YORK CITY

See

Mining Stock Quotations

Page 21

John Wigmore & Sons Co.

HOISTING MACHINERY

Ore Cars, Ore Buckets and Steel Rails

117 to 123 S. Los Angeles Street,

LOS ANGELES, CAL.



LARGEST GASOLINE PUMPING PLANT IN THE WORLD

The illustration shows the gigantic pumping plant recently built by the Hercules Gas Engine Works at the Packer Ranch, Colusa Co. 80 H. P. Hercules Engine, pumping 7200 gallons a minute. 27 feet high. Burns Gasoline or Distillate oil. Cheapest power known. Gas, Gasoline and Oil Engines, 2 to 300 H. P. Send for Catalogue. HERCULES GAS ENGINE WORKS, 110 Bay St., San Francisco.

INCORPORATED MINES PAYING DIVIDENDS.

	NAMES OF MINES	LOCATION	No. of Shares	Capital Stock	Par Value	Amount of Last Dividend	Date of Last Dividend	Total Amount Paid in Dividends	Kind of Minerals Produced
1	Acton Cons.	California	100,000	\$ 500,000	\$ 5	\$ 10	Apr 1899	\$ 170,000	I
2	Alamo	Utah	125,000	125,000	1	02	April 1899	2,500	G
3	Alaska, Treadwell	Alaska	200,000	5,000,000	25	37 1/2	Apr 1899	4,070,000	G
4	Alaska Mexican	Alaska	200,000	1,000,000	5	10	Apr 1899	358,081	G
5	Anacosta	Montana	1,200,000	80,000,000	25	1 25	May 1899	0,750,000	G
6	American Leland	Colorado	650,000	800,000	1	03	Apr 1899	198,000	G
7	American Gold	Colorado	300,000	3,000,000	10	00	Mar 1899	407,000	G, S
8	Argonaut	California	200,000	2,000,000	10	10	April 1899	200,000	G
9	Associated	Colorado	1,250,000	1,250,000	1	01	Dec 1898	72,000	G
10	Ma I Buile	Montana	250,000	250,000	1	05	May 1899	70,000	G, S
11	Boston & California	California	400,000	400,000	1	04	March 1899	36,000	G
12	Boston and Colorado Smelting	Colorado	15,000	750,000	50	5 00	April 1899	10,77,000	G, C, S
13	Boston & Montana	Montana	150,000	3,750,000	25	0 00	May 1899	50,000	G
14	Breece	Colorado	200,000	5,000,000	25	05	June 1899	2,368,000	G, S
15	Bullion Berk and Champion	Utah	100,000	1,000,000	10	10	May 1899	705,000	G
16	Banker Hill and Sullivan	Idaho	300,000	3,000,000	10	07	May 1899	248,065	G
17	Cariboo	British Col.	800,000	\$ 800,000	1	01 1/2	Feb 1899	62,850,000	G
18	Chilumet & Hecla	Michigan	10,000	2,500,000	25	20 00	June 1899	2,105,000	G
19	Centennial Pureka	Utah	30,000	1,500,000	50	50	June 1899	112,000	L
20	Central Lead	Missouri	10,000	1,000,000	100	50	June 1899	200,000	G
21	Charleston	S. Carolina	10,000	1,000,000	100	2 00	June 1899	1,945,000	G, S, C
22	Colorado Smelting	Montana	100,000	1,000,000	10	1 00	Jan 1899	20,000	G, S
23	Consolidated Tiger and Poorman	Idaho	1,000,000	1,000,000	1	02	Dec 1898	64,000	G, S
24	Croton Leasing	Colorado	1,000,000	1,000,000	1	01	Dec 1898	244,000	G, S
25	Crowned King	Arizona	800,000	8,000,000	10	02	Dec 1898	2,348,000	G, S
26	De Lamar	Idaho	4,000	2,000,000	5	12	May 1899	30,000	L
27	Deer Trail No 2	Washington	1,000,000	1,000,000	1	04 25	May 1899	7,000	G
28	Doe Run	Missouri	5,000	500,000	100	50	June 1899	668,001	G, S
29	Elkton Consolidated	Colorado	1,250,000	1,250,000	1	01 1/2	Nov 1898	105,638	G
30	Empire State	Idaho	75,000	750,000	10	20	June 1899	200,000	G, S
31	Enterprise	Colorado	500,000	500,000	1	05	Sept 1898	10,000	G
32	Fanny Rawlings	Colorado	1,000,000	1,000,000	1	01	May 1899	5,000	G, S
33	Ferris Hagerty	Wyoming	1,000,000	1,000,000	1	00 1/2	Mar 1899	9,000	G
34	Geyser-Marion	Utah	300,000	500,000	5	02	Sept 1898	34,000	G
35	Garfield Consolidated	Colorado	1,200,000	1,200,000	1	01	May 1899	41,000	G
36	Golden Star	Ontario, Canada	100,000	100,000	1	01	July 1899	30,000	G
37	Gold Coin of Victor	Colorado	1,000,000	1,000,000	1	01	May 1899	10,000	G
38	Gold King	Colorado	1,000,000	1,000,000	1	02	May 1899	108,500	G, S, C
39	Golden Cycle	Colorado	200,000	1,000,000	5	05	June 1899	66,500	G
40	Grand Central	Utah	250,000	250,000	1	15	May 1899	3,894,718	G
41	Gwin	California	20,000	1,000,000	50	25	May 1899	122,000	G
42	Highland	S. Dakota	100,000	10,000,000	100	20	May 1899	7,161,750	G
43	Holy Terror	S. Dakota	300,000	300,000	1	01	Mar 1899	5,260,000	G
44	Homestake	S. Dakota	125,000	12,500,000	100	50	May 1899	282,000	G
45	Horn Silver	Utah	400,000	10,000,000	25	05	April 1899	282,000	G
46	Idaho	British Col.	500,000	500,000	1	05 1/2	Jan 1899	405,000	G
47	Inahella	Colorado	2,250,000	2,250,000	1	06	Feb 1899	25,000	G
48	Jack Pot	Colorado	1,000,000	1,000,000	1	02 1/2	Mar 1899	50,700	G
49	Jamison	California	300,000	3,000,000	10	10	Apr 1 1899	736,000	G
50	Lake Superior Iron	Michigan	84,000	2,100,000	25	1 00	Feb 1899	224,110	G
51	Lille	Colorado	1,000,000	1,000,000	1	05	June 1899	150,000	G
52	Modoc	Colorado	500,000	500,000	1	02	May 1899	2,097,657	G, S
53	Montana Ltd	Montana	650,000	3,300,000	5	12	Apr 1899	1,120,000	G
54	Montana Ore Purchasing	Montana	40,000	1,000,000	25	1 00	May 1899	726,800	G
55	Morning Star	California	2,400	240,000	100	2 50	May 1899	1,286,000	G
56	Merruc	Utah	200,000	5,000,000	25	12 1/2	Jan 1899	1,350,000	G, S, C, L
57	Mammoth	Utah	400,000	10,000,000	25	05	Dec 1898	25,000	G
58	Matox	Colorado	1,000,000	1,000,000	1	02 1/2	Dec 1898	100,000	G
59	Mead	California	2,000,000	2,000,000	1	20	Mar 1899	12,624	G
60	Monument	Colorado	800,000	800,000	1	01	Dec 1898	480,000	G
61	Moulton	Montana	400,000	2,000,000	5	05	Feb 1899	6,000	G
62	Mt. Shasta	California	20,000	100,000	5	30	May 1899	1,050,000	G
63	New York & Hon. Rosario	Central A.	150,000	1,500,000	10	10	May 1899	990,000	G
64	Napa	California	100,000	700,000	7	20	Apr 1899	120,000	G
65	New Idria Quicksilver	California	100,000	500,000	5	20	Apr 1899	550,000	G
66	North Star	California	200,000	2,000,000	10	25	Apr 1899	20,000	G
67	Ophir Hill	Utah	1,000	25,000	25	20 00	Dec 1898	500,000	G
68	Original Empire	California	50,000	5,000,000	100	1 00	May 1899	2,401,600	G
69	Oscola	Michigan	50,000	1,250,000	25	3 00	June 1899	2,600,898	G
70	Parrot	Montana	230,000	2,300,000	10	1 50	May 1899	87,100	G
71	Pennsylvania Consolidated	California	51,500	5,150,000	10	05	June 1899	82,500	G
72	Pioneer	California	100,000	1,000,000	10	12 1/2	Mar 1899	2,197,080	G, S
73	Portland	Colorado	8,000,000	3,000,000	1	02	June 1899	45,000	G
74	Plumbago	California	300,000	300,000	1	15	Jan 1899	1,845,411	G
75	Quicksilver Pref	California	43,000	4,300,000	100	50	May 1899	643,867	G
76	Quicksilver Consolidated	California	57,000	5,700,000	100	40	July 1899	10,470,000	G
77	Quincy	Michigan	100,000	2,500,000	25	3 50	Feb 1899	183,000	G
78	*Republic Consolidated	Washington	3,000,000	3,000,000	1	01	June 1899	50,000	G
79	Ra. ber Cariboo	British Col.	1,000,000	1,000,000	1	01	April 1899	25,000	G
80	Royal Consolidated	British Col.	2,500,000	2,500,000	1	01	Mar 1899	87,500	G
81	Sacramento	Utah	1,000,000	5,000,000	5	00 1/2	June 1899	3,325,000	G
82	Small Hopes Consolidated	Colorado	250,000	5,000,000	20	10	Feb 1899	147,500	G, S
83	South Swansea	Utah	150,000	150,000	1	05	Apr 1899	1,715,000	G, S
84	Standard	Idaho	500,000	500,000	1	06	Apr 1899	3,859,000	G, S
85	Standard	California	200,000	20,000,000	100	10	May 1899	2,822,000	G, S, L, G
86	St. Joseph	Missouri	30,000	3,000,000	10	1 50	Mar 1899	1,155,000	G, S, L, Z
87	Silver King	Utah	150,000	3,000,000	20	25	May 1899	161,500	G
88	Smuggler	Colorado	1,000,000	1,000,000	1	01	June 1899	5,910,000	G
89	Swamp	Utah	100,000	500,000	5	05	May 1899	730,000	G
90	Tamarack	Michigan	50,000	1,500,000	15	4 00	June 1899	179,000	G
91	Tomboy	Colorado	200,000	2,000,000	10	4 00	May 1899	203,000	G
92	Utah	Utah	100,000	1,000,000	10	02	Jan 1899	309,000	G
93	Vindicator	Colorado	1,500,000	1,500,000	1	05	Apr 1899	150,000	G
94	War Eagle	British Col.	2,000,000	1,000,000	1	01 1/2	May 1899	203,789	G
95	Wolverine	Michigan	40,000	3,500,000	25	1 50	Apr 1899		
96	Yellow Aster	California	100,000	1,000,000	10	10	May 1899		

B. Silver; G. Gold; L. Lead; C. Copper; Q. Quicksilver; I. Iron; Z. Zinc.

N B Companies not listed have not paid a dividend for the last twelve months.

*Paid since consolidation, \$68,000; Republic paid \$120,000 under old management.

THE CAMMET CONCENTRATOR

The Most Recently Developed and Scientifically Designed Concentrator on the Market

PRICE, including All Extra Attachments complete, f. o. b.
Denver, \$450

We are confident that this concentrator will take the place of all other concentrators. We do not say this until we have seen the machine. We do not say this until we have seen the machine. We do not say this until we have seen the machine.

Thoroughly protected by strong patents

Denver Engineering Works,
Sole Manufacturers.
Denver, Colorado, U. S. A.



THE NEW "LEYNER" ROCK DRILL



A NEW PRINCIPLE.



IT WILL INTEREST YOU BECAUSE:

It requires less than one half the air required to operate rock drills of the ordinary piston type.

It weighs less than one half as much as the ordinary rock drill and is consequently easier to handle.

And other Good Points all explained in Catalogue, Sent on Application.



THE EDWARD P. ALLIS CO.,

MILWAUKEE, WIS.



SULLIVAN MACHINERY CO.

CHICAGO, ILLINOIS

Sullivan Diamond Prospecting Drills

FOR PROSPECTING FOR and DEVELOPING MINERALS


Rock Drills for Sinking, Drifting and Stopping



Knight & Stone, Agents, Spokane, Washington
Denver, Col. Office: 322 Seventeenth Street

Henshaw, Bulkley & Co., Agents, San Francisco, Cal.
New York Office: 71 Broadway





Diamond Prospecting Drills.

Machines of all Capacities

American
Diamond Rock
Drill Co.120 LIBERTY ST., N. Y.
P. O. Box 1442

The Kootenai Gold Mining District

of British Columbia which of late has been attracting considerable attention, is best reached by the Oregon Railroad and Navigation Co. The fact has recently been brought out that the Kootenai district contains within its borders more High Grade Silver and Lead Mines than any other part of the world. The recent discoveries of Rich Gold Lodes makes it the most attractive country for the Capitalist Miner and Prospector to visit in search of mines.

The Oregon Railroad and Navigation Co.
Dispatch Fast Steamers every Four Days

from San Francisco connecting at Portland, Oregon with their rail line for all points in this famous district. For full particulars address,

E. C. WARD, GENERAL AGENT,
SAN FRANCISCO, CAL.

630 Market Street,

NEW HAVEN MFG. COMPANY

NEW HAVEN, CONN.

IRON
WORKING
TOOLS,

Engine Lathes, Pulley Turning Lathes, Iron Planers,
Slotters, Upright Drilling Machines, Horizontal
Drilling and Boring Machines, Etc.

HENSCHAW, BULKLEY & CO., Agents, San Francisco, Cal.



SMITH & THOMPSON

Manufacturers

Fine Assay Balances

Write for Catalogue

2219 Stout Street

Denver, Colo.

J. B. Pope

U. S. Mineral Surveyor,

SAN BERNARDINO, CAL.

FOR SALE VERY CHEAP.

2,000 TENTS used a few days at G. A. R. Re-unions, etc., every size and shape from a 10x10 wall tent to a 25x35 concert tent including a full compartment tent, 10x10, 15x15, 20x20, 25x25, 30x30, 35x35, 40x40, 45x45, 50x50, 55x55, 60x60, 65x65, 70x70, 75x75, 80x80, 85x85, 90x90, 95x95, 100x100, 105x105, 110x110, 115x115, 120x120, 125x125, 130x130, 135x135, 140x140, 145x145, 150x150, 155x155, 160x160, 165x165, 170x170, 175x175, 180x180, 185x185, 190x190, 195x195, 200x200, 205x205, 210x210, 215x215, 220x220, 225x225, 230x230, 235x235, 240x240, 245x245, 250x250, 255x255, 260x260, 265x265, 270x270, 275x275, 280x280, 285x285, 290x290, 295x295, 300x300, 305x305, 310x310, 315x315, 320x320, 325x325, 330x330, 335x335, 340x340, 345x345, 350x350, 355x355, 360x360, 365x365, 370x370, 375x375, 380x380, 385x385, 390x390, 395x395, 400x400, 405x405, 410x410, 415x415, 420x420, 425x425, 430x430, 435x435, 440x440, 445x445, 450x450, 455x455, 460x460, 465x465, 470x470, 475x475, 480x480, 485x485, 490x490, 495x495, 500x500, 505x505, 510x510, 515x515, 520x520, 525x525, 530x530, 535x535, 540x540, 545x545, 550x550, 555x555, 560x560, 565x565, 570x570, 575x575, 580x580, 585x585, 590x590, 595x595, 600x600, 605x605, 610x610, 615x615, 620x620, 625x625, 630x630, 635x635, 640x640, 645x645, 650x650, 655x655, 660x660, 665x665, 670x670, 675x675, 680x680, 685x685, 690x690, 695x695, 700x700, 705x705, 710x710, 715x715, 720x720, 725x725, 730x730, 735x735, 740x740, 745x745, 750x750, 755x755, 760x760, 765x765, 770x770, 775x775, 780x780, 785x785, 790x790, 795x795, 800x800, 805x805, 810x810, 815x815, 820x820, 825x825, 830x830, 835x835, 840x840, 845x845, 850x850, 855x855, 860x860, 865x865, 870x870, 875x875, 880x880, 885x885, 890x890, 895x895, 900x900, 905x905, 910x910, 915x915, 920x920, 925x925, 930x930, 935x935, 940x940, 945x945, 950x950, 955x955, 960x960, 965x965, 970x970, 975x975, 980x980, 985x985, 990x990, 995x995, 1000x1000, 1005x1005, 1010x1010, 1015x1015, 1020x1020, 1025x1025, 1030x1030, 1035x1035, 1040x1040, 1045x1045, 1050x1050, 1055x1055, 1060x1060, 1065x1065, 1070x1070, 1075x1075, 1080x1080, 1085x1085, 1090x1090, 1095x1095, 1100x1100, 1105x1105, 1110x1110, 1115x1115, 1120x1120, 1125x1125, 1130x1130, 1135x1135, 1140x1140, 1145x1145, 1150x1150, 1155x1155, 1160x1160, 1165x1165, 1170x1170, 1175x1175, 1180x1180, 1185x1185, 1190x1190, 1195x1195, 1200x1200, 1205x1205, 1210x1210, 1215x1215, 1220x1220, 1225x1225, 1230x1230, 1235x1235, 1240x1240, 1245x1245, 1250x1250, 1255x1255, 1260x1260, 1265x1265, 1270x1270, 1275x1275, 1280x1280, 1285x1285, 1290x1290, 1295x1295, 1300x1300, 1305x1305, 1310x1310, 1315x1315, 1320x1320, 1325x1325, 1330x1330, 1335x1335, 1340x1340, 1345x1345, 1350x1350, 1355x1355, 1360x1360, 1365x1365, 1370x1370, 1375x1375, 1380x1380, 1385x1385, 1390x1390, 1395x1395, 1400x1400, 1405x1405, 1410x1410, 1415x1415, 1420x1420, 1425x1425, 1430x1430, 1435x1435, 1440x1440, 1445x1445, 1450x1450, 1455x1455, 1460x1460, 1465x1465, 1470x1470, 1475x1475, 1480x1480, 1485x1485, 1490x1490, 1495x1495, 1500x1500, 1505x1505, 1510x1510, 1515x1515, 1520x1520, 1525x1525, 1530x1530, 1535x1535, 1540x1540, 1545x1545, 1550x1550, 1555x1555, 1560x1560, 1565x1565, 1570x1570, 1575x1575, 1580x1580, 1585x1585, 1590x1590, 1595x1595, 1600x1600, 1605x1605, 1610x1610, 1615x1615, 1620x1620, 1625x1625, 1630x1630, 1635x1635, 1640x1640, 1645x1645, 1650x1650, 1655x1655, 1660x1660, 1665x1665, 1670x1670, 1675x1675, 1680x1680, 1685x1685, 1690x1690, 1695x1695, 1700x1700, 1705x1705, 1710x1710, 1715x1715, 1720x1720, 1725x1725, 1730x1730, 1735x1735, 1740x1740, 1745x1745, 1750x1750, 1755x1755, 1760x1760, 1765x1765, 1770x1770, 1775x1775, 1780x1780, 1785x1785, 1790x1790, 1795x1795, 1800x1800, 1805x1805, 1810x1810, 1815x1815, 1820x1820, 1825x1825, 1830x1830, 1835x1835, 1840x1840, 1845x1845, 1850x1850, 1855x1855, 1860x1860, 1865x1865, 1870x1870, 1875x1875, 1880x1880, 1885x1885, 1890x1890, 1895x1895, 1900x1900, 1905x1905, 1910x1910, 1915x1915, 1920x1920, 1925x1925, 1930x1930, 1935x1935, 1940x1940, 1945x1945, 1950x1950, 1955x1955, 1960x1960, 1965x1965, 1970x1970, 1975x1975, 1980x1980, 1985x1985, 1990x1990, 1995x1995, 2000x2000, 2005x2005, 2010x2010, 2015x2015, 2020x2020, 2025x2025, 2030x2030, 2035x2035, 2040x2040, 2045x2045, 2050x2050, 2055x2055, 2060x2060, 2065x2065, 2070x2070, 2075x2075, 2080x2080, 2085x2085, 2090x2090, 2095x2095, 2100x2100, 2105x2105, 2110x2110, 2115x2115, 2120x2120, 2125x2125, 2130x2130, 2135x2135, 2140x2140, 2145x2145, 2150x2150, 2155x2155, 2160x2160, 2165x2165, 2170x2170, 2175x2175, 2180x2180, 2185x2185, 2190x2190, 2195x2195, 2200x2200, 2205x2205, 2210x2210, 2215x2215, 2220x2220, 2225x2225, 2230x2230, 2235x2235, 2240x2240, 2245x2245, 2250x2250, 2255x2255, 2260x2260, 2265x2265, 2270x2270, 2275x2275, 2280x2280, 2285x2285, 2290x2290, 2295x2295, 2300x2300, 2305x2305, 2310x2310, 2315x2315, 2320x2320, 2325x2325, 2330x2330, 2335x2335, 2340x2340, 2345x2345, 2350x2350, 2355x2355, 2360x2360, 2365x2365, 2370x2370, 2375x2375, 2380x2380, 2385x2385, 2390x2390, 2395x2395, 2400x2400, 2405x2405, 2410x2410, 2415x2415, 2420x2420, 2425x2425, 2430x2430, 2435x2435, 2440x2440, 2445x2445, 2450x2450, 2455x2455, 2460x2460, 2465x2465, 2470x2470, 2475x2475, 2480x2480, 2485x2485, 2490x2490, 2495x2495, 2500x2500, 2505x2505, 2510x2510, 2515x2515, 2520x2520, 2525x2525, 2530x2530, 2535x2535, 2540x2540, 2545x2545, 2550x2550, 2555x2555, 2560x2560, 2565x2565, 2570x2570, 2575x2575, 2580x2580, 2585x2585, 2590x2590, 2595x2595, 2600x2600, 2605x2605, 2610x2610, 2615x2615, 2620x2620, 2625x2625, 2630x2630, 2635x2635, 2640x2640, 2645x2645, 2650x2650, 2655x2655, 2660x2660, 2665x2665, 2670x2670, 2675x2675, 2680x2680, 2685x2685, 2690x2690, 2695x2695, 2700x2700, 2705x2705, 2710x2710, 2715x2715, 2720x2720, 2725x2725, 2730x2730, 2735x2735, 2740x2740, 2745x2745, 2750x2750, 2755x2755, 2760x2760, 2765x2765, 2770x2770, 2775x2775, 2780x2780, 2785x2785, 2790x2790, 2795x2795, 2800x2800, 2805x2805, 2810x2810, 2815x2815, 2820x2820, 2825x2825, 2830x2830, 2835x2835, 2840x2840, 2845x2845, 2850x2850, 2855x2855, 2860x2860, 2865x2865, 2870x2870, 2875x2875, 2880x2880, 2885x2885, 2890x2890, 2895x2895, 2900x2900, 2905x2905, 2910x2910, 2915x2915, 2920x2920, 2925x2925, 2930x2930, 2935x2935, 2940x2940, 2945x2945, 2950x2950, 2955x2955, 2960x2960, 2965x2965, 2970x2970, 2975x2975, 2980x2980, 2985x2985, 2990x2990, 2995x2995, 3000x3000, 3005x3005, 3010x3010, 3015x3015, 3020x3020, 3025x3025, 3030x3030, 3035x3035, 3040x3040, 3045x3045, 3050x3050, 3055x3055, 3060x3060, 3065x3065, 3070x3070, 3075x3075, 3080x3080, 3085x3085, 3090x3090, 3095x3095, 3100x3100, 3105x3105, 3110x3110, 3115x3115, 3120x3120, 3125x3125, 3130x3130, 3135x3135, 3140x3140, 3145x3145, 3150x3150, 3155x3155, 3160x3160, 3165x3165, 3170x3170, 3175x3175, 3180x3180, 3185x3185, 3190x3190, 3195x3195, 3200x3200, 3205x3205, 3210x3210, 3215x3215, 3220x3220, 3225x3225, 3230x3230, 3235x3235, 3240x3240, 3245x3245, 3250x3250, 3255x3255, 3260x3260, 3265x3265, 3270x3270, 3275x3275, 3280x3280, 3285x3285, 3290x3290, 3295x3295, 3300x3300, 3305x3305, 3310x3310, 3315x3315, 3320x3320, 3325x3325, 3330x3330, 3335x3335, 3340x3340, 3345x3345, 3350x3350, 3355x3355, 3360x3360, 3365x3365, 3370x3370, 3375x3375, 3380x3380, 3385x3385, 3390x3390, 3395x3395, 3400x3400, 3405x3405, 3410x3410, 3415x3415, 3420x3420, 3425x3425, 3430x3430, 3435x3435, 3440x3440, 3445x3445, 3450x3450, 3455x3455, 3460x3460, 3465x3465, 3470x3470, 3475x3475, 3480x3480, 3485x3485, 3490x3490, 3495x3495, 3500x3500, 3505x3505, 3510x3510, 3515x3515, 3520x3520, 3525x3525, 3530x3530, 3535x3535, 3540x3540, 3545x3545, 3550x3550, 3555x3555, 3560x3560, 3565x3565, 3570x3570, 3575x3575, 3580x3580, 3585x3585, 3590x3590, 3595x3595, 3600x3600, 3605x3605, 3610x3610, 3615x3615, 3620x3620, 3625x3625, 3630x3630, 3635x3635, 3640x3640, 3645x3645, 3650x3650, 3655x3655, 3660x3660, 3665x3665, 3670x3670, 3675x3675, 3680x3680, 3685x3685, 3690x3690, 3695x3695, 3700x3700, 3705x3705, 3710x3710, 3715x3715, 3720x3720, 3725x3725, 3730x3730, 3735x3735, 3740x3740, 3745x3745, 3750x3750, 3755x3755, 3760x3760, 3765x3765, 3770x3770, 3775x3775, 3780x3780, 3785x3785, 3790x3790, 3795x3795, 3800x3800, 3805x3805, 3810x3810, 3815x3815, 3820x3820, 3825x3825, 3830x3830, 3835x3835, 3840x3840, 3845x3845, 3850x3850, 3855x3855, 3860x3860, 3865x3865, 3870x3870, 3875x3875, 3880x3880, 3885x3885, 3890x3890, 3895x3895, 3900x3900, 3905x3905, 3910x3910, 3915x3915, 3920x3920, 3925x3925, 3930x3930, 3935x3935, 3940x3940, 3945x3945, 3950x3950, 3955x3955, 3960x3960, 3965x3965, 3970x3970, 3975x3975, 3980x3980, 3985x3985, 3990x3990, 3995x3995, 4000x4000, 4005x4005, 4010x4010, 4015x4015, 4020x4020, 4025x4025, 4030x4030, 4035x4035, 4040x4040, 4045x4045, 4050x4050, 4055x4055, 4060x4060, 4065x4065, 4070x4070, 4075x4075, 4080x4080, 4085x4085, 4090x4090, 4095x4095, 4100x4100, 4105x4105, 4110x4110, 4115x4115, 4120x4120, 4125x4125, 4130x4130, 4135x4135, 4140x4140, 4145x4145, 4150x4150, 4155x4155, 4160x4160, 4165x4165, 4170x4170, 4175x4175, 4180x4180, 4185x4185, 4190x4190, 4195x4195, 4200x4200, 4205x4205, 4210x4210, 4215x4215, 4220x4220, 4225x4225, 4230x4230, 4235x4235, 4240x4240, 4245x4245, 4250x4250, 4255x4255, 4260x4260, 4265x4265, 4270x4270, 4275x4275, 4280x4280, 4285x4285, 4290x4290, 4295x4295, 4300x4300, 4305x4305, 4310x4310, 4315x4315, 4320x4320, 4325x4325, 4330x4330, 4335x4335, 4340x4340, 4345x4345, 4350x4350, 4355x4355, 4360x4360, 4365x4365, 4370x4370, 4375x4375, 4380x4380, 4385x4385, 4390x4390, 4395x4395, 4400x4400, 4405x4405, 4410x4410, 4415x4415, 4420x4420, 4425x4425, 4430x4430, 4435x4435, 4440x4440, 4445x4445, 4450x4450, 4455x4455, 4460x4460, 4465x4465, 4470x4470, 4475x4475, 4480x4480, 4485x4485, 4490x4490, 4495x4495, 4500x4500, 4505x4505, 4510x4510, 4515x4515, 4520x4520, 4525x4525, 4530x4530, 4535x4535, 4540x4540, 4545x4545, 4550x4550, 4555x4555, 4560x4560, 4565x4565, 4570x4570, 4575x4575, 4580x4580, 4585x4585, 4590x4590, 4595x4595, 4600x4600, 4605x4605, 4610x4610, 4615x4615, 4620x4620, 4625x4625, 4630x4630, 4635x4635, 4640x4640, 4645x4645, 4650x4650, 4655x4655, 4660x4660, 4665x4665, 4670x4670, 4675x4675, 4680x4680, 4685x4685, 4690x4690, 4695x4695, 4700x4700, 4705x4705, 4710x4710, 4715x4715, 4720x4720, 4725x4725, 4730x4730, 4735x4735, 4740x4740, 4745x4745, 4750x4750, 4755x4755, 4760x4760, 4765x4765, 4770x4770, 4775x4775, 4780x4780, 4785x4785, 4790x4790, 4795x4795, 4800x4800, 4805x4805, 4810x4810, 4815x4815, 4820x4820, 4825x4825, 4830x4830, 4835x4835, 4840x4840, 4845x4845, 4850x4850, 4855x4855, 4860x4860, 4865x4865, 4870x4870, 4875x4875, 4880x4880, 4885x4885, 4890x4890, 4895x4895, 4900x4900, 4905x4905, 4910x4910, 4915x4915, 4920x4920, 4925x4925, 4930x4930, 4935x4935, 4940x4940, 4945x4945, 4950x4950, 4955x4955, 4960x4960, 4965x4965, 4970x4970, 4975x4975, 4980x4980, 4985x4985, 4990x4990, 4995x4995, 5000x5000, 5005x5005, 5010x5010, 5015x5015, 5020x5020, 5025x5025, 5030x5030, 5035x5035, 5040x5040, 5045x5045, 5050x5050, 5055x5055, 5060x5060, 5065x5065, 5070x5070, 5075x5075, 5080x5080, 5085x5085, 5090x5090, 5095x5095, 5100x5100, 5105x5105, 5110x5110, 5115x5115, 5120x5120, 5125x5125, 5130x5130, 5135x5135, 5140x5140, 5145x5145, 5150x5150, 5155x5155, 5160x5160, 516

Turbine AND Cascade WATER WHEEL



Adapted to all Heads from
3 Feet to 2000 Feet

OVER 33 YEARS


Send for a Pamphlet of
either Wheel and write
full particulars

James Leffel & Co.
SPRINGFIELD, OHIO, U.S.A.



GOLD and SILVER REFINERS & ASSAYERS

PENN SMELTING AND REFINING WORKS, 117 1/2 Filbert St PHILADELPHIA, PA.



PERFORATED SCREENS

Steel Plate, Copper and Bronze

For all uses. Send for Catalogue

A. J. BECKLEY & CO.
Works, Garwood N. J.

\$35,000,000 in Dividends paid out by Utah Mines up to date

UTAH MINING STOCKS

Weekly Market Report on application. Quotations by wire or mail.
Reference Any Bank in Salt Lake City

P. J. CONWAY & CO., SALT LAKE CITY, UTAH

The Monthly Summary

OF THE COMMERCE AND FINANCE

OF THE United States

Is kept up for the Los Angeles, Cal. Edition

The Mining Edition is published by

THE CARBON LEXICON


No. 12 to 16 John St. near Broadway N. Y.

CARBONS

DIAMOND DRILLING and all Mechanical

Henry Demmelt

Mathematical Scientific and Drawing Instruments



S. R. Cor 7th & Chestnut St Philadelphia Pa

L. Manasse Company

Mfg. Opticians

88

Madison Street

Chicago

Monoculars and

Architects

Engineers and

Surveyors

Supplies

and

all

optical

instruments

and

all

optical

instruments

and

all

optical

instruments

and

all

optical

instruments

and

all

optical

instruments

and

all

optical

instruments

and

all

optical

instruments

and

all

optical

instruments

and

all

optical

instruments

and

all

optical

instruments

and

all

optical

instruments

and

all

optical

instruments

and

all

optical

instruments

and

all

optical

instruments

and

all

optical


instruments

and

all


optical

Third Edition Revised and Enlarged
Prospector's Field Book and Guide
in the search for and the easy determination
of another useful minerals, by H. S. Osborn of
Washington, D. C. 4 pages, 100 illustrations
Catalogue of Mining Assaying etc. sent free
PHILADELPHIA BOOK CO.
15 S. Ninth Street, Philadelphia Pa



OLIVER'S POWDER METEOR DYNAMITE

Extra Strength for Heavy Rock Work and Ore Mining



The OLIVER POWDER CO.,

OLIVER MILLS,

Luz. County, P. A.

GELATINE

OLIVER'S FLAMELESS DYNAMITE

Will not Ignite Gas or Coal Dust. Does not shatter coal
ALL GRADES OF MINING POWDERS A SPECIALTY

SUPERIOR STRENGTH
FREEDOM
FROM SMOKE

For Tunnel Work—free from
Obnoxious Odors

Mining, Milling, Smelting,

Concentrating, Chlorination,

and Leaching Machinery

MANUFACTURED BY

THE COLORADO IRON WORKS COMPANY

DENVER, COLORADO.



CHALLENGE ECLIPSE ORR FEEDER

Will feed both wet and dry ores

CATALOGUE ON APPLICATION



BLACK SAW ORR FEEDER

ESTABLISHED 1860



THE BEST
LOW PRICED GOOD
STEAM ENGINE
MADE

Governor and Roll, Fly Wheel, Driving Pulleys, Glass Oil Caps, Drain Cocks and Sight Feed Lubricator furnished with Engine. From four to twenty horse power.

Globe Machine Works,
135-139 W. 20 ST. CINCINNATI, OHIO

Eastern Prices Beaten

Improved Facilities, Finest Work, Lowest Prices



Perforated Sheet Metals

For Flour and Rice Mills, Grain Separators, Shaker Screens, Gravel and Cement, Stamp Batteries, Iron, Steel, Russian Iron, American Flanish, Zinc, Copper and Brass Screens, for all uses.

San Francisco Pioneer Screen Works
(ESTABLISHED 1860)

221 and 223 First St., San Francisco, Cal.
JOHN W. QUICK, PROPRIETOR


Perforated Metals

GRIZZLEYS FOR PLACER MINING, BATTERY SCREENS
STEEL SHEETS FOR THROMMELS.

THE ROBT. MITCHELL PERFORATED METAL CO.
280 Dearborn St., Chicago, Illinois

FRANCIS SMITH & CO.,

MANUFACTURERS OF



MINING PIPE ALL SIZES

Hydraulic, Irrigation and Power Plants, Well Pipe, Etc., all Sizes.

Iron cut, punched and formed, or making pipe on ground where required. All kinds of Tools supplied for making Pipe. Estimates given when required. Are prepared for coating all sizes of Pipes with Asphaltum.

40 Fremont Street

San Francisco, Cal.

HOME MANUFACTURE
FOWLER'S
Air Space and Asbestos
Manufacturing Company
Sectional Removable Covering
for Steam Boilers, Pipes, etc.
As a Non-Conductor, Unequalled
Absolutely Fire Proof




G. C. FOWLER, 656-58 Howard Street
SAN FRANCISCO, CAL.

C. DUCOMMUN,

300-302 N. MAIN STREET,

LOS ANGELES

Assayers Material
Mine and Mill Supplies




Dixon's Black Lead Crucibles, Denver Fire Clay Crucibles, Muffles, Scorifiers, etc.; Quicksilver, Drill Steel, Retorts, Mortars, Gold Pans, Drilling Hammers, Drifting Picks, Horn Spoons and Shovels.

NORWALK IRON WORKS CO.

SOUTH NORWALK, CONNECTICUT.

THE NORWALK AIR and GAS COMPRESSOR



In use in every State in the Union, Central America, and South America, Great Britain, etc., Also used by the U. S. Army and Navy.

Especially Designed for
Driving


ROCK DRILLS,
PNEUMATIC LOCOMOTIVES,
ENGINES, PUMPS
COAL CUTTERS.

and Other Mining Machinery. The Best Machine for Compressing Air for all Dynamic Purposes. Send for Illustrated Descriptive Catalogue.

HENSHAW, BULKLEY & CO., Agents

San Francisco 351 & 353 N. Main Street,

A Comparison ...



Compare the

MINING AND
METALLURGICAL
JOURNAL

with others published in the
West, and you will find it
head and shoulders above them
all.

WRITE FOR ADVERTISING
RATES

OFFICES:

Stimson Block, Los Angeles, Cal.

150 Nassau Street, New York

N. CHLANDT & CO.

MANUFACTURERS OF

Best Quality of BONE ASH for Assayers.

Our Goods are used in all parts of the United States and Mexico.

EXTRA No. 1 and No. 2

CORRESPONDENCE SOLICITED

327 MARKET STREET, SAN FRANCISCO, CAL.

The M. and E. Co.

Machinery & Supplies

Mining Hoists--Geared & Friction

Engines

"OIL CITY" STATIONERY,
"BATES" CORLISS,
"IDEAL" AUTOMATIC,
"OIL CITY" Gas and Gasoline.

"Oil City" Boilers

"GEARY"
WATER TUBE

"SNOW" Mine and Sinking
LAWRENCE Centrifugal
RUMSEY Power

Pumps

Shafting, Belting, Pulleys, Hangers, Boxes, Etc. Write for Prices

The Machinery and Electrical Company,

Los Angeles, Cal.

Buyers of

ALL CLASSES OF
BULLION, MATTE,
ORE, SILVER SUL-
PHIDES,
CYANIDES, GOLD
and SILVER BARS.

CONSOLIDATED Kansas City Smelting AND Refining COMPANY

SMELTING WORKS
LEAVITT, COLO.; EL PASO, TEXAS;
ARGENTINE, KAN.; BOQUILLAS, MEX.


REFINERY:
ARGENTINE, KANSAS

OLD PURCHASING AGENCIES:
C. D. Porter, Spokane, Wash.; J. H. Weidie, Louisville, Ark.;
H. Murray, Denver, Colo.; L. F. Peckham, City of Mex.;
H. Jackson, Salt Lake City, Utah; H. R. Simpson, El
Paso, Texas; C. R. Hasey, Argentine, Kansas.

Manufacturers of

ALCHEMIST-
BRAND
BLUE VITROL
ZINC SULPHATE

Half Universal Radial Drills



The special features which have so highly recommended this style of Drills are our double columns, steel gearing, power and hand feeds, quick return motion to spindle. Furnished in three sizes, with large variety of tables, adapting the drills for every class of work possible.

Bickford Drill and Tool Co.

CINCINNATI, OHIO, U. S. A.

HENSHAW, BULKLEY & CO., AGENTS

San Francisco, Cal.

ORE CARS.

All miners who have used the Truax Automatic Ore Cars say they are the best in the market.

Over 3,000 In Use
MANUFACTURED IN
SAN FRANCISCO, CAL., by
The Truax Mfg. Co.,
114 First Street



PATENTED:
Jan. 8, 1892. Aug. 7, 1895.
July 19, 1898.
In Canada, June 21, 1898.

MANUFACTURED IN
DENVER, COLORADO, by
The Truax Mfg. Co.
1717-1719 Wazee St.

We make all kinds of cars, skips and charging carts for the Mine, Mill and Smelter. All miners should have our pamphlet of useful information.

Desires wanted in Mining Sections to handle the TRUAX ORE CARS.


THOMAS PRICE & SON

Analytical Metallurgical and Physical Testing Laboratory

524 SACRAMENTO STREET, SAN FRANCISCO, CAL.

FOUR and SIX FOOT FRUE VANNERS

With Brownell "Patent Lip" Flange Belts



After a concentrator like the Frue Vanner has been on the market nearly two decades, and the sales have constantly increased, it is safe to say it is the "Standard Machine of the world." More Frue Vanners have been sold during the last twelve months than for the same period at any time during the history of the machine. Practical mining men in all parts of the world where mining is carried on will testify as to its merits. It is the "Standard" which all competitors are trying to imitate.

The results obtained by this machine are the "Acme" of concentration, and several cheap and tried machines that have lately come on the market compare by it, and the manufacturers will tell you that they are "just as good, and cheaper, etc." The facts are that no other concentrator made has an equal capacity, or will yield as clean a concentrate with as small loss in the tailings as the Frue Vanner. The amount saved from the lower first cost of an inferior machine counts little in the years results, when compared with the increased output from a Frue. This machine not only gives better results at both ends of the belt (i. e. Clean product and poor tailings), but is operated at less expense and requires less attention than any other machine on the market. At the Alaska Treadwell Mine where they have ordered over 150 Frue Vanners one man after 45 machines for 12 hour shift.

JAS. S. BROWNELL, Western Agent


132 Market Street,

FRUE VANNING MACHINE CO.

(Successor to Adams & Carter)

SAN FRANCISCO, CAL.

ESTABLISHED 1871 C. L. BERGER & SONS Successors to BUFF & BERGER



Mining and
Engineering Transits
with patent interchangeable
sighting, Telescope for use on
top or side in vertical sighting.
Our friends are cautioned
against infringements foreign
or domestic as attempts have
been made of late to imitate
the trade.

Sent for Illustrated Catalogue and Manual

11 Provines Court, - Boston, Mass.

F. A. JONES, E. M. MINING ENGINEER

Assays, Surveys, Reports, Plans, etc. Chemical
State Geologic Survey.

OLIVER W. KROLL, Mining Engineer Assl.

OFFICE AND LABORATORY

14 W. Missouri Ave., Kansas City, Mo.

Randsburg Gold Fields

REACHED VIA

Santa Fe Route

Leave Los Angeles, 9:50 a. m.
Leave San Bernardino 12:25 p. m.
Arrive Randsburg 3:25 p. m.
Leave Randsburg 3:50 p. m.
Arrive Kramer, 5:05 p. m.
Arrive St. Elmo, 8:25 p. m.
Arrive Johannesburg 8:50 p. m.

Returning Trains Leave

Johannesburg 9:00 p. m.
Arrive San Bernardino 5:45 a. m.
Arrive Los Angeles, 8:25 a. m.

A through passenger coach is run between
Randsburg and Johannesburg.

Through tickets and particulars of any Santa
Fe Route Agent.

Stage leaves Johannesburg for Bullard on Sun-
days and Thursdays at 7 a. m.; returning arrives
at Johannesburg on Tuesdays and Fridays at
8 p. m.

SAN FRANCISCO OFFICE
828 MARKET ST.

LOS ANGELES OFFICE
200 S. SPRING ST.

J. W. McCOY,

Consulting Mining Engineer,

1202 Orange Building, Chicago, Ill.

Examinations and Reports on Mining Properties

The Little Alaska Gold Washer

WEIGHT 7½ POUNDS

Positively Saves all the Gold

No Miners, Prospectors or Assayers outfit is complete
without it. Requires no experience to work.

Handsome descriptive catalogue mailed free on appli-
cation.

PRICE \$6.00

204 8, BROADWAY, LOS ANGELES, CAL.



Cat Shows Robins Belt Conveyor
Handling 1100 tons per hour
of Rock and Gravel on


River Dredge

For 1899 catalogue description of system
Write to

Robins Conveying Belt Co.

147 Cedar Street, New York City

GOODSELL'S "98" PUMP PACKING



WAX END SEWED.

Patent Pending

No possibility of Splitting. All im-
perfect features of Duck packing over-
come. Price 75c lb net.

Goodsell Packing Co.,


ROCK MARKER

33 South Canal Street Chicago, Illinois

SWEEPINGS ★

Metallic Wastes, Dental Scrap,
Photographers' Wastes,
Jewelers' Sweepings, Mill Wastes,
Amalgamated Plates, Old Iron Refractories,
Old Quicksilver bought.

A. M. DONALDSON & CO.,
1601 Larimer St., Denver, Colorado



Become a Member of the

SOUTHERN CALIFORNIA BRANCH

California Miner's Association


To Protect, Develop, and Foster the Mining Industry of the State of California, in all its Branches

Secretary's Office, 420 Stimson Block,

Los Angeles, Calif.



THE NATIONAL IRON WORKS



Riveted Boilers, Tanks, and Sheet Steel or Iron Work of every description.

National Steel Ore Car

MANUFACTURERS OF THE
Repairing of All kinds Promptly Attended to.
PORTLAND, OREGON

FULTON ENGINE WORKS

Mining, Milling & Smelting Machinery

Estimates Furnished on all Classes of Mining Work

P. O. Box 296, STATION "C"

LOS ANGELES, CALIFORNIA

Bullock Diamond Drills

In styles and sizes, Surface and Underground. Hand and Horse Power, Steam, Air and Electricity. We make a specialty of Prospecting by contract.

Bullock Hoisting Machinery

First Motion or Geared. Any style Reverse. Improved Safety Devices. We can fill any requirements.

Bullock Mining Machinery

Rope Hoisting Plants
Mine Ventilators

Portable Hoists
Write for what you want.

Flat Rope Reel Hoists

Bullock Quarry Machinery

Rock Drills

Air Compressors

Quarry Outfits.

M. C. BULLOCK MFG. CO., 1169 West Lake St., Chicago, U.S.A.

Chas. P. Grimwood,

Mining Engineer and Metallurgist

Laboratory, 214 Pine Street,

SAN FRANCISCO, CAL.

CYANIDE POTASSIUM—99 per cent. pure, Beckton Brand.

CHLORIDE LIME—Best English in Casks and Drums.

ZINC DUST—Best Heavy Quality.

POTASH PERMANGANATE—Pure Quality.

SODA HYPOSULPHITE—Barrels and kegs.

AND ALL OTHER CHEMICALS

Please Apply to: Schoelkopf, Hartford & MacIsaac, Ltd.,

100 William Street, New York

FOR SALE.

Four Fraser & Chalmers horizontal Boilers in batteries of two, can be seen set up. Size of Boilers: 54"x16", 44 3/4" flues, half arch front, include all fittings complete and in first class order; will sell 2 or 4. Price each, \$300.

One 300-H. P. Fraser & Chalmers Corless Engine Cylinder, 24x48", sectional fly wheel, 20"x37". Engine in fine condition. Price \$1,500.

Forty-stamp Mill, 850 lbs. rapid drop, together with timbers, bolts, rods, etc.; also building if wanted. Tulac automatic ore feeders, screens, jigs (Heads), Frue Vanner tables, etc., fine condition and very cheap. Write or come and see us.

S. S. Machinery Co., Denver, Colo.

Oilless Bearings



For

Rope Tramways, HOISTING
Engines, Tackle Blocks,
Cam Shafts in STAMP
MILLS.

A Practical BRAKING that
RUNS WITHOUT OIL.

The Graphite
Lubricating Company
ROUND BROOK, N. Y.

MINING MACHINERY.

If you want mining machinery of the first class address the MINING AND METALLURGICAL JOURNAL, stating the purpose to which it is to be applied, and you will be placed in communication with the leading manufacturers of repute. All the latest catalogues of mining machinery are kept constantly on hand.

Stimson Block, Los Angeles, Cal.

180 Nassau St., New York, N. Y.

Horace F. Brown, M. E.

Mechanical Roasting, Cooling and
Conveying of Ores. Automatic
milling plants adapted to
standard processes.

FRANKLIN, MASSACHUSETTS. MICHIGAN, CALIFORNIA

Patented 1907

U. S. C. Members American Chemical Society



Chemical Analysis, Milling, Concentration and Cyanide Tests

Call and See our Stamp Mill and Frue Vanner

115 1/2 N. MAIN ST., LOS ANGELES, CAL.

FRASER & CHALMERS

{133 Fullon Street,
Chicago, Illinois, U. S. A.
{43 Threadneedle Street,
E. C., London, England



Mining Machinery

STAMP MILLS
ROCK CRUSHERS
HUNTINGTON MILLS
SMELTING FURNACES
GRAY'S PATENT MINE CHAIRS
CONCENTRATORS
HOISTING ENGINES
ROASTING FURNACES
BALL PULVERIZERS

Exclusive Manufacturers of
**RIEDER PUMPS and
AIR COMPRESSORS**

FOR

UNITED STATES, CANADA,
MEXICO, SOUTH AMERICA,
ENGLAND, SOUTH AFRICA
AND AUSTRALIA.

The accompanying picture shows the Air Compressor we make

Fraser & Chalmers, GENERAL AGENTS FOR GREEN BLOWERS

JOSHUA HENDY MACHINE WORKS, Nos. 38 to 44 Fremont St.

SAN FRANCISCO, CAL.


Manufacturers of and Dealers in

The Latest Improved

Quartz Milling, Pumping, Hoisting and Smelting
Plants, Air Compressors and Rock Drills.

"HENDY" IMPROVED "TRIPLE-DISCHARGE" TWO-STAMP QUARTZ MILLS
Boilers, Engines & Pumps of all capacities

PLANS, SPECIFICATIONS and ESTIMATES OF COST SUBMITTED and CONTRACTS ENTERED INTO
FOR FURNISHING and ERECTING MINING and MILLING PLANTS for all conditions of Use.



DOUBLE CYLINDER HOISTING ENGINE

BAKER IRON WORKS

LOS ANGELES, CALIFORNIA

Manufacturers of

Mining and Milling Machinery, Atlas Engines and Boilers, Worthington Steam Pumps

Water Works Machinery
A SPECIALTY

LAMBERT HOISTING ENGINES

ELECTRIC HOISTS
BUILT TO GAUGES AND TEMPLATES
500 STYLES AND SIZES

Prospectors and Contractors Engines | Mining Engines and Electric Hoists,
Single and double drums with | with single, double or triple drums.
and without boilers. | Friction or reversible.

SEND FOR NEW CATALOGUE R, 140 PAGES.



LAMBERT HOISTING ENGINE CO.

MAIN OFFICE AND WORKS:

117 POINIER ST., NEWARK, N. J.

17 Meth St., CAMBRIDGEPORT, MASS.

143 Liberty St., N. Y.



Mining Timbers and Construction Lumber

(California Long Leaf Yellow Pine Lumber)

Prices given for delivery to any point in Mexico by Rail through Porfirio Diaz, Nuevo Laredo or Paso del Norte, and by Vessel through Gulf Ports of Tampico and Vera Cruz.

Bradley-Ramsay Lumber Co.

LOUISIANA, U. S. A.

ADDRESS INQUIRIES FOR PRICES TO

R. N. WATSON, AGENT.

APARTADO NO. 118 MONTERREY, N. L. MEXICO

The Bartlett Concentrating Table

One of these Machines will take the place of TWO or THREE Belt Concentrators of any make and do as good work. Separates ALL the minerals from each other at one operation. Gives THREE CONCENTRATES on the one Machine at the same operation. The Machine is especially adapted to the separation of Zinc and Lead. Size of machine 4 ft. by 8 ft. Weight 1000 lbs., Capacity 10 to 30 tons per 24 hours.

Can be set up anywhere.
Requires no Special Foundation.

Licensee for the
Manufacture and Sale



PARKE & LACY COMPANY,

Three Classes of Machines are made

Table A is adapted to concentration from 1 into 1 to 8 into 1. Table B, 6 into 1 to 16 into 1. Table C, 12 into 1 to 32 into 1.

Parties desiring tests made can send 500 lbs. or more, charges prepaid, and a run will be made and reports forwarded of the results free of all charges, except for the amount which will not exceed \$10.00.

Price of 9 1/2 ft. Table \$300 Complete,
12-foot Table \$350,
f. o. b. Cars, San Francisco, Cal.

Los Angeles, Cal. Office,

206 Berry Bldg.,

W. H. Miller, Representative

21 and 23 Fremont Street
SAN FRANCISCO, CAL.